

KITCHEN & BEDROOM LIGHTING

20
23

MAKING
LIGHTING
SIMPLE



BEAUTIFULLY SIMPLE LIGHTING SOLUTIONS

Since 2007 we've been creating lighting in harmony with modern life. Specialising in kitchens, bedrooms and bathrooms, quality and innovation has always been at the heart of what we do, from lighting that stands the test of time to technology that's exclusive to us.


At Sensio we pride ourselves on providing premium products matched with a flawless execution and service. All of our lighting solutions are designed and developed right here in the UK, where we can constantly strive to create new concepts to brighten people's lives. Always pushing to pioneer new technology that seamlessly illuminates customers' homes, our passion is making lighting both intelligently simple and beautiful.

We hope to inspire your space with the power of lighting and thank you for partnering with us at Sensio.

Michael Linsky
Managing Director



Our Promises to You



Making Lighting Simple

Making Lighting Simple - one of the defining principles by which we live and breathe. Everything we do, whether it is in the design of our products, our customer service or how we communicate, we strive to always have Making Lighting Simple at the core. If it's not simple for you, our customer, we find another way until it is.



Market Leading Innovation

We place our focus on doing things a little differently. We are dedicated to designing and developing new and innovative lighting solutions that meet various design requirements. Our high quality range of products offer the very latest LED technology and features to work in harmony with customer's kitchens and bedrooms. With our own in-house Product Development Team, we have the ability to not only work closely with customers to design products we know they need, but also innovate and lead the way in creating first to market, patented products.



Extraordinary Service

We're here to offer our exemplary service levels to every single customer. Whether that's a quick resolution to your email query, ensuring your orders get to you on time and in full or proactive communication and exceptional account management, we're committed to offering extraordinary service at every point.



Pioneering Design



Designing in-house, we develop our products and packaging with the future in mind. Thinking about efficiency and waste reduction whilst creating high quality innovation.

We don't just follow the trends - we help set them

Our expertise and industry knowledge is an integral part of our business with our in-house product development and design team based here in the UK. To us, every detail makes the difference and we're not satisfied until each product is finished to the highest standard.

A number of our lights and profiles carry Registered Design Rights. This means as we strive to continually bring innovative and exciting products to the market, our valued partners can be assured of having access to products they won't find elsewhere.

Our extensive product range is also constantly reviewed, enhanced and improved to ensure we stay at the forefront of our industry.

Superior quality, guaranteed durability

We pride ourselves on using only the best components and materials to guarantee long life performance, high light output and enhanced durability. All of our products go through rigorous third-party testing and we're proud to be ISO 9001 accredited.

Our products have won awards for their design excellence time and time again and we're so confident that each product will exceed your expectations that we offer a 5-year guarantee on all of our kitchen and bedroom fittings.

Inspiring service & solutions

We're always researching the latest trends, technology and fashion to deliver solutions that stand the test of time. We delve deep into the market to shine a light on how our products can improve home environments and the way people live. So whenever you choose a Sensio product, you can be assured it's been thoughtfully created for the future.



Our Sustainable Future

We're working towards a more sustainable future and are committing resources to actively reduce our footprint.

We care about our impact on the world and have set ourselves goals over the next 3, 5 and 10 years to meet high standards throughout our processes, operations and products to limit or mitigate our impact on the environment. These include:



Packaging

We aim to reduce plastics from our product packaging as much as possible, including recyclable plastics, in favour of paper and cardboard



Product

All products will be created with Long Design Life in mind, ensuring robust, long serving products including use of high quality LEDs for maximum life span



Partnerships

Careful selection of our production partners evaluated in accordance with our guidelines and carry ISO 14001



Net Zero

Improve the robustness of our supply chain to mitigate air carriage, maximise sea freight efficiencies and increase local production to help achieve our target of Net Zero

We have always been dedicated to delivering product training and the launch of our new Sensio Academy extends on this commitment.



Kick complexity to the curb with our mission of Making Lighting Simple

The Sensio Academy aims to equip sales and design teams with the knowledge to confidently specify lighting into every single kitchen, bedroom and bathroom project.

The Academy comprises:

- A step-by-step online e-learning platform to provide the fundamental knowledge about lighting and how to install and specify
- Access to a library of product videos demonstrating key features, installation and application of lighting
- MiCK - our bespoke Mobile Illumination Centre for KBB in which we deliver a tailored hands-on experience in our specially equipped vehicle
- Live, online tailored webinars from our expert in-house training team to learn the technical aspects and benefits of the product range

Train your designers to add value to every project with the installation of lighting

Access a wealth of video content, advice, tips and installation guidance



2022 sees the arrival of MiCK - our Mobile Illumination Centre for KBB

- Take the complexity out of products with hands on training, including our latest innovations
- Follow up information from MiCK with design tips and ideas to keep you up to date and inspired



CONTENTS

01 BEAUTIFULLY SIMPLE LIGHTING

02 ABOUT US

04 PIONEERING DESIGN

06 SENSIO ACADEMY

10 THE POWER OF LIGHTING

12 Creating a Lighting Plan

14 Choosing Kitchen Lighting

16 Custom Colour

18 TECHNICAL CENTRE

24 THE SENSIO SERIES

26 ICONS EXPLAINED

02 FLEXIBLE STRIP LIGHTING

30 INSTALLING FLEXIBLE STRIPS

32 FLEXIBLE STRIP SUMMARY

34 DART

36 PRIMO 2

NEW 38 NEUTRON

40 VIVA 3

42 SIGMA 2

44 POLAR

NEW 46 RADIANT

48 ION 8

50 ION 5

52 POLAR PRO

NEW 54 RADIANT PRO

56 FLUX

03 INTEGRATED SOLUTIONS & PROFILES

60 RAY

62 GAMMA

64 BLAZE

66 ACCENT

68 ADAPT

70 GLOW

72 VECTOR

74 ADORN

76 BEAM

78 FINO

80 LINIA

82 MANTA

84 CONTOUR

86 VERONA

NEW 88 EXPANSE / EXPANSE PRO

90 CORNER PANTRY PACK

04 UNDER CABINET SPOT LIGHTING

94 PLAZA

95 SOLO

96 TREOS

98 VELOS

100 ZETA

NEW 102 APEX TRIOTONE®

104 ARK

106 ARK TRIOTONE®

108 ASTRO TRIOTONE®

110 BERMUDA

112 BERMUDA TRIOTONE®

114 HORIZON TRIOTONE®

116 HYPE TRIOTONE®

118 NEO TRIOTONE®

120 NEXUS

121 NEXUS TRIOTONE®

122 ARK PRO

124 ASTRO PRO

NEW 126 HORIZON PRO

128 HYPE R PRO

130 NEO PRO

05 UNDER CABINET STRIP LIGHTING

134 AXIS

135 CONNEX

NEW 136 CONNEX TRIOTONE®

06 SHELF LIGHTING

140 TORINO

141 GENOA

142 GLOW PRO / GLOW

07 DRAWER LIGHTING

146 DURA PLUS

147 VERSO

08 PLINTH LIGHTING

150 IRIS

151 LUCE TRIOTONE®

152 HALO TRIOTONE®

153 STELLAR PRO

09 CEILING LIGHTING

156 BELLATRIX

158 SOLINAS

160 ZIRCONIA

162 TRIOTONE® IP65 FIRE RATED DOWNLIGHT

164 TRIOTONE® IP65 CUBE & CIRCA FIRE RATED
DOWNLIGHT

10 POP-UP SOCKETS

168 SENSIOPOD E

169 SENSIOPOD M

170 SENSIOPOD M BLUETOOTH

171 INSTALLING SENSIOPODS

11 RECHARGEABLE BATTERY & LOW VOLTAGE WARDROBE

174 ALTO

175 INCLINE

176 MAGNUM

12 LIGHTING CONTROL

180 THE TITAN DRIVER RANGE

182 TITAN DRIVER

182 TITAN+ SENSOR DRIVER

183 TITAN+ SENSORS

183 TITAN+ SENSOR ADAPTER

NEW 183 TITAN+ DOUBLE DOOR SENSOR ADAPTER

184 TITAN DIMMABLE DRIVER

185 TITAN SMART RGB CCT DRIVER

186 TITAN SMART KINETIC DRIVER

187 KINETIC SWITCHES

188 UNIVERSAL REMOTE CONTROL

189 RECEIVERS

190 LINK-S WIRELESS PIR & RECEIVER

191 LINK-S RECEIVER, MAGNET & REED SWITCH

192 PRODUCT INDEX

198 FAQ

199 GET IN TOUCH

THE POWER OF LIGHTING

Lighting can completely transform your kitchen beyond the practical benefit it brings. It creates ambience, a brighter, more spacious and multi-dimensional feel and highlights design features.

Considering a lighting scheme at the initial design stages will influence the overall atmosphere of the kitchen space.



CREATING A LIGHTING PLAN

Add impactful lighting to the kitchen by following our simple and stress-free tips.

We know how important it is for customers to envision how their kitchen design will look in the initial stages. To ensure the process runs as smoothly as possible, we are partnered with leading kitchen design software to bring your dream plans to life: 2020, KBB Connect, KBB Smart and Compusoft.



Light in layers

Splitting lighting into three categories from task to mood and convenience gives you the opportunity to layer your lighting. Start with task lighting around food preparation areas, transition into convenience lighting inside cupboards or drawers and then consider how mood lighting could create an ambient atmosphere.

Factor in the power

Creating multiple zones of lighting calls for power to different parts of the kitchen. It's much easier to install the wiring before the kitchen installation, so plan where wiring needs to be included so you can power the lights once installed. Think about the wall units, base units and the island unit if you want to create feature lighting under worktop edges or plinths.

Complement the kitchen design

Is the kitchen contemporary or traditional? Rustic or modern? This may help inform the style of fitting you choose but also the colour temperature of the lights. Warm white LEDs emit a yellow glow and complement a traditional style kitchen featuring wood surfaces and muted worktops perfectly, whereas cool white LEDs are more suited to contemporary style kitchens. The white light bounces off gloss or contemporary surfaces like granite for a mesmerising finish.

Get creative

Much more than a functional feature, lights can truly transform a space. Zoning the lights so they run from different switches really helps make the most of the space as you're in control of which lights turn on and when.

Consider the controls

Lighting elements can be controlled either together or separately depending on the kind of lighting you install and how the kitchen space will be used. For example, you may want all the under cabinet lighting to turn on together, you may want the kitchen cupboards to light up when the cupboard door is opened, or you may want to create a relaxing ambience with feature lighting switched on with the touch of a remote or smart phone app.

CHOOSING KITCHEN LIGHTING

Kitchen lighting can be split in to three categories, with each offering its own purpose and benefits:

1 Task Lighting Powering productivity

As the name suggests, task lighting is perfectly positioned to ensure the kitchen is an efficient working space for everyday tasks such as cooking. Typically, kitchen task lighting is positioned under wall units to illuminate the worktop, focusing light exactly where it is needed.

Task lighting can include:

- Under cabinet spotlights: These can provide an interesting design element as well as focussed lighting across the worktop
- Under cabinet strip lights: This creates a continuous run of unbroken light to flood across the worktop
- Under cabinet flexible strip lights: Creating a continuous run of light, this versatile option can also be recessed into the cabinets with the use of a profile

2 Convenience Lighting Luxurious luminosity

Convenience lighting illuminates cupboards, wardrobes and drawers when opened for ultimate ease of use, while adding a luxurious finish to the kitchen or bedroom design.

Convenience lighting can be installed in any of the areas below:

- Inside cutlery drawers or deep pan drawers
- Inside wall units powered by a sensor, so that the light switches on and off as the cabinet door opens and closes
- Flexible strip lighting is perfect to illuminate a larder, especially when coupled with an infra-red sensor so the light comes on as the door opens

3 Mood Lighting Add a touch of ambience

Mood lighting creates depth and dimension, which is essential for creating atmosphere within a room. If you're looking to brighten the mood of the kitchen, consider lighting along the plinth, up-lighting above wall units, lighting beneath breakfast bars or the underside of a worktop and lighting the inside of glass fronted cabinets. Mood lighting is often overlooked, but one that can have a profound impact.

Here are some ways you could lighten up your scheme:

- Use flexible strip lighting on plinths or under worktop edges to create a floating sensation
- Install flexible strip lighting directly with the strong, 3M tape on the back of the strip or install inside a recessed profile for a flush finish and fully diffused light under worktop edges
- Install recessed spotlights into glass-fronted cabinets to create a standout feature



CUSTOM COLOUR

Look out for the TrioTone® & CCT icons on products in this brochure

The LED colour you choose can make a huge impact on the overall look.

Choosing the right lighting colour will boost the aesthetics of the design by complimenting the chosen colours and materials.

Typically, LEDs are available as cool, natural or warm, and we use a measure called the Kelvin scale (K) to determine the temperature output of our lights. Anything between 2500K – 3000K is considered warm, 3500K – 4500K is natural, while anything between 4500K – 6500K emits a cooler temperature.

Cool white LEDs are more suited to contemporary or modern kitchen styles. Cool white bounces off gloss or contemporary surfaces to create a stunning effect.



Natural white sits between warm and cool white and recreates the effect of natural daylight. Natural white's versatility means it can complement a range of kitchen styles.



Warm white LEDs emit a yellow glow (similar to that of a halogen) and perfectly complement traditional style kitchens with features such as timber finishes and muted worktops.




TRIOTONE®

A Sensio trademarked concept first introduced in 2017, TrioTone® provides 3-in-1 lighting choice in one fitting. These diverse products are specifically designed to provide the option to select or change the colour temperature without having to replace the whole fitting.

Sensio TrioTone® products can be set to 3000K (warm white), 4000K (natural white) or 5000K (cool white).

For TrioTone®, the light temperature is set on the product itself with a simple slider switch.




CCT

Correlated Colour Temperature (CCT) is a concept that provides a seamless transition from warm to cool white temperatures.

CCT gives the user the power to cycle through the full spectrum of temperatures between cool, natural and warm light. This allows you to accurately mimic outside lighting conditions - a feature that has been scientifically proven to have a positive impact on our health.

CCT products allow for advanced control via our Universal Remote & CCT receiver or Titan Smart Kinetic Driver paired with the kinetic switch, Link Sensio app or smart home device




TECHNICAL CENTRE

Some lights present different options for installation, linking together and control. These pages, alongside the detailed information around choosing the correct driver found on pages 180-181, will make the process of selecting and installing our lighting as simple as possible.

12-Volt vs. 24-Volt Lighting

All Sensio lights are 24-volt, offering a number of benefits over alternative 12-volt solutions.



Less voltage drop

24-Volt allows for longer runs of light with no loss of power or brightness over distance.

Stays cooler


24-volt lighting dissipates less heat and stays cooler over time. This means more efficient lights which don't overheat.

Up to 75% more efficient

For a given power wattage, a 24-volt Sensio product will consume 50% less current than the 12-volt equivalent, offering up to 75% more efficiency when factoring reduced heat loss.

Power


240V Products



240 volt products can either be plugged into a power socket or wired directly to the mains.

Please note: The majority of 240V products do not come with a pre-wired plug.

24V Products




24V is significantly lower than the mains electricity that comes into our homes.

Our low voltage products require an LED driver that converts the voltage from 240V to 24V.

All our 24V products are Plug & Play - this means they plug directly into the LED driver without the need for an electrician.


Wattage and LED Drivers



The number of lights that an LED driver can power is determined by the wattage, so it is important that the driver selected has an adequate wattage for the lights.

The appropriate LED driver can be easily found by calculating the total wattage of all lights in the run. The total wattage should not exceed the rated wattage of the LED driver.


Daisy Chain Products




To make installation as simple as possible, some of our products can be linked together in a daisy chain.

This is a great way to extend the range of an LED driver in a long run of lights. Especially when powered with a higher voltage, such as 24V.


Connectors




2-Pin
The most-common type of connector in the Sensio range and compatible with all drivers (with exception of the CCT Titan Smart Kinetic Driver). This type of connector is also compatible with the Single Colour Receiver.



4-Pin
These are found on our CCT products and are compatible with Titan Smart Kinetic Drivers and the CCT Receiver.



6-Pin
These are found on our RGB CCT products and assist in the control of both colour temperature and RGB in compatible products.



Quick Connect
This port enables the driver connection cable to plug directly into the back of the lamp, simplifying installation.


Lighting Control

Receivers and Remotes

Receivers and remotes allow for additional lighting control such as dimming, changing colour temperature and RGB. These can be added to most Sensio products.

Smart Products

Smart Drivers allow Sensio 24V products to connect to smart home devices such as the Google Assistant and Amazon Alexa via the Link Sensio App, adding smart lighting control. See more on p188.



Sensors & Switches




Infrared (IR) sensors
IR sensors are used to control lighting with close-range hand gestures. Example: waving to turn your lights on/off.




Passive infrared (PIR) sensors
PIR sensors are used to control lighting when somebody enters the detection range. Example: entering a room.




Gate Sensor
Gate (or door) sensors are used to control lighting with the opening and closing of doors. Example: opening a cabinet or drawer.



Push switch
Push switches are used to control lighting with the push of a button.



Magnet and reed switch
A magnet and reed switch is used to control lighting with the opening and closing of doors. The advantage a magnet and reed switch system has over a gate sensor is that multiple switches can be set up to control the same set of lights. It is also wireless.



Kinetic switch
Kinetic switches are used in conjunction with the Titan Smart Kinetic drivers to offer the freedom of wireless control. The switches require no additional power or installation and offer advanced control such as dimming and colour adjusting when configured with CCT lights. 1, 2 and 3 gang switches available.

TECHNICAL CENTRE

With the introduction of new EU energy labels on electrical products, here's what the new labels mean for your Sensio lighting products.

Why have a new EU energy label?

Due to the popularity of light emitting diodes, lighting has become very efficient over the past 20 years with most products on the market falling comfortably into the A to A+++ rating.

To make way for future improvements in energy saving technology, a new grading system has been implemented which simplifies the grading system as well as making it much harder for products to achieve higher ratings.


The grades now range from A to G and all products are re-classified on this new scale.

Customers can be assured they are still receiving the high quality lighting products from Sensio they did previously. However, the simplified scale now makes it easier to make an informed decision when choosing their lighting as well as allowing room on the scale for products with future advancements in energy saving technology.


Regulation: (EU) 2019/2015

How the labels have changed

Previous energy labels



New energy labels



- Seven step rating now runs from A to G
- Additional QR code links to further details on the labelling and product specification

Our rated products

The below list of lighting products carry the required energy labels and have the following ratings:



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Axis	Under Cabinet Strip Light	Single Colour	134
Bermuda	Under Cabinet Spot Light	Single Colour	110
Bermuda TrioTone®	Under Cabinet Spot Light	TrioTone®	112
Connex	Under Cabinet Strip Light	Single Colour	135
Connex TrioTone®	Under Cabinet Strip Light	TrioTone®	136
Hype	Under Cabinet Spot Light	Single Colour	116
Hype TrioTone®	Under Cabinet Spot Light	TrioTone®	118
Hype R Pro	Under Cabinet Spot Light	CCT	130
Nexus	Under Cabinet Spot Light	Single Colour	124
Nexus TrioTone®	Under Cabinet Spot Light	TrioTone®	125
Treos	Under Cabinet Spot Light	Single Colour	96
Zeta	Under Cabinet Spot Light	Single Colour	100



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Bellatrix	Pendant Light	Single Colour	160
Dart	Flexible LED Strip	Single Colour	34
Expanse	In-Cabinet Back Panel	Single Colour	86
Expanse Pro	In-Cabinet Back Panel	CCT	86
Ion 5	Flexible LED Strip	CCT	50
Ion 8	Flexible LED Strip	CCT	48
Neutron	Flexible LED Strip	Single Colour	38
Polar	Flexible LED Strip	Single Colour	44
Polar Pro	Flexible LED Strip	CCT	52
Primo 2	Flexible LED Strip	Single Colour	36
Radiant	Flexible LED Strip	Single Colour	46
Sigma 2	Flexible LED Strip	Single Colour	42
TrioTone® IP65 FR Downlight	Ceiling Spot Light	TrioTone®	166
TrioTone® IP65 Cube	Ceiling Spot Light	TrioTone®	168
TrioTone® IP65 Circa	Ceiling Spot Light	TrioTone®	168
Viva 3	Flexible LED Strip	Single Colour	40
Zirconia	Pendant Light	Single Colour	164



PRODUCT	LIGHTING TYPE	TECHNOLOGY	PAGE
Arcade	Under Cabinet Spot Light	Single Colour	102
Ark	Under Cabinet Spot Light	Single Colour	104
Ark Pro	Under Cabinet Spot Light	CCT	126
Ark TrioTone®	Under Cabinet Spot Light	TrioTone®	106
Astro Pro	Under Cabinet Spot Light	CCT	128
Astro TrioTone®	Under Cabinet Spot Light	TrioTone®	108
Flux	Flexible LED Strip	RGB CCT	54
Fusion	Under Cabinet Spot Light	Single Colour	92
Neo	Under Cabinet Spot Light	Single Colour	120
Neo Pro	Under Cabinet Spot Light	CCT	132
Neo TrioTone®	Under Cabinet Spot Light	TrioTone®	122
Plaza	Under Cabinet Spot Light	Single Colour	93
Solo	Under Cabinet Spot Light	Single Colour	94
Stellar Pro	Plinth Spot Light	CCT	157
Velos	Under Cabinet Spot Light	Single Colour	97

THE SENSIO SERIES

The Sensio Series categorises our product range into three groups to simplify the decision-making process when it comes to selecting lighting products.

Whether the decision is based on price or features, the Sensio Series defines the range by:

SERIES
=
SIMPLICITY

SERIES
=
CHOICE

SERIES
=
TECHNOLOGY

The full Sensio product range benefit from high-quality features providing peace of mind that we design and innovate with quality firmly in focus:



50,000 Hours
Light Life

Fantastic longevity providing the equivalent life to having the lights switched on continuously for 5 hours a day, for 27 years!



High Efficiency

Not only does each light benefit from a superb lumen output, ensuring bright illumination, each light runs off 24V, making them exceptionally efficient to run and providing maximum light performance.



High Colour Accuracy

Brightness and consistency of the lights is of exceptional standard and provides a true reflection of the colour temperature.



Quality Guaranteed

Each light has been designed and manufactured to guarantee superb performance, longevity and quality and benefits from Sensio's 5 year guarantee.

sensio SERIES



Simplicity


Series 1 offers a concise range of simple, high quality LED lights with no compromise on quality or efficiency whilst benefitting from excellent pricing (based on minimum order quantities).

Each product comes in:

- One colour temperature - natural white for the greatest compatibility with all kitchen styles and finishes
- One finish – a single colour, silver stainless steel* finish on all the products with bezels
- One pack size – containing everything needed to install the lights including a driver and pre-wired plug when bought as a kit (single unit light fittings also available)

**Velos - brushed aluminium*

sensio SERIES



Choice

Series 3 provides choice and customisation offered across a wide selection of products adding colour temperature options and different product finishes.

The Series 3 range provides:

- Colour temperature options - featuring our TrioTone® Technology allowing simple colour temperature selection between warm white, natural white and cool white. Find out more about the benefits of TrioTone® on p17
- Useful additional features – including a variety of styles, shapes and sizes
- Multiple product finishes – more choice to match your kitchen style plus inter-changeable bezels on selected products

sensio SERIES



Technology

Series 5 brings advanced lighting colour technology and control options to truly bring smart connectivity to the home.

Lighting in the Series 5 range includes:


- CCT or Correlated Colour Temperature – allowing the colour temperature to match individual requirements. Lighting can be set to any colour temperature along the white spectrum range between warm white, through to natural and cool white light to not only match the style and finish of the kitchen but marry the lighting to mood or time of day. Truly setting lighting in sync with our own lives
- Smart, voice and app controlled lighting – compatible with Amazon Alexa and Google Assistant, pair lighting with the Titan Smart Drivers for ultimate control over lighting colour temperature, brightness, lighting schedules and zoning
- Colour changing lighting – the Flux flexible strip light combines a full range of RGB colour and white lighting to bring a rainbow of colours including pinks, blues and greens providing millions of finely tuned colour options

PRODUCT FEATURES

All our products have their own unique features. To help you compare and select products quickly and easily, you will find icons on each product page.


Product finishes

STAINLESS STEEL




Stainless steel finish

BRUSHED STEEL




Brushed steel finish

ALUMINIUM




Aluminium finish

CHROME




Chrome finish

COPPER




Copper finish

BRASS




Brass finish

MATT BLACK




Matt black finish

BLACK NICKEL




Black nickel finish

OPAQUE WHITE




Opaque white finish

WHITE




White finish

TRANSPARENT



Transparent finish


CHAMPAGNE



Champagne finish


Lighting Properties

DIMMABLE




Dimmable - when paired with a compatible driver

TRIOTONE




Colour temperature selection at the flick of a switch (see p17)

CCT




Correlated Colour Temperature (see p17)

RGB CCT




Full RGB CCT spectrum control

COOL WHITE




Cool white lighting

NATURAL WHITE



Natural white lighting


WARM WHITE



Warm white lighting


Sensors & Connectivity

IR SENSOR




Infra-red sensor - swipe activated

PIR SENSOR




PIR sensor - motion activated

PUSH SWITCH




Push button activated

TOUCH SENSOR




Touch activated

WIRELESS KINETIC




Wireless Kinetic

DOOR SENSOR




Activates on opening of a door or drawer

LINK SENSOR




Can be controlled via the 'Link SENSIO' App

BLUETOOTH



Bluetooth connectivity


SMART CONTROL



Sync with your smart home devices


IP Rating (all products IP20 unless otherwise stated)

IP RATING




Resistant to larger objects such as fingers. No water protection

IP RATING




Resists ingress of objects over 1mm and water splashes

IP RATING




Resists partial dust ingress and water splashes

IP RATING



Dust and air tight. Resists low pressure water jets


IP RATING



Dust and air tight. Resists submersion up to 1m for 30min


Additional features

BATTERY




Battery operated

RECHARGEABLE




Rechargeable battery power

CABLE LENGTH




Supplied cable length

FIRE RATED



Fire rated for additional safety

QI CHARGER



Qi charger for wireless devices

FLEXIBLE LED STRIP LIGHTING



- Simple to use and can be installed almost anywhere
- Adds depth to the kitchen by illuminating above the wall units, along the plinth or under the worktop edge
- Perfect for creating ambient mood lighting
- Can be used inside profiles, which offer an alternative way to secure the strip, diffuse and angle the light



INSTALLING FLEXIBLE STRIPS


See p181 on how to choose a driver to power the flexible strip



Plug and play


Our plug & play system makes connection of the lights really simple.

- Step 1:** Insert the power lead into the driver.
- Step 2:** Connect the light(s) into the designated ports with the pin connector at the end of the driver connection cable.
- Step 3:** Wire (or plug in) the mains power cable.



Pair with a profile

Profiles offer an extended range of options for flexible strip installation, including different lighting angles and dispersion. All of our profiles feature a diffusing cover to remove the visibility of LED dots and provide a soft, even spread of light.



Where to use flexible LED strips

Flexible LED strips are extremely versatile and can bring light to a wide range of places in the kitchen and bedroom to offer task, convenience or mood lighting.



Along plinths



Around island units



Under worktops



Under cabinets



Behind upstands



Above cabinets




In cupboards / larders



Inside wardrobes

Attaching flexible strips

All our flexible strips (with the exception of Radiant) are supplied with 3M VHB (Very High Bond) tape applied to the back to ensure simple and secure fitting. Simply peel the backing off the tape and stick directly to the surface.



Peel back the film from the adhesive backing



Apply directly to a clean surface. The VHB will 'set' within 72 hours for secure fitting.

Each of the flexible strips in the Sensio range offer alternative benefits and usage.

FLEXIBLE STRIPS

	Flexible Strip	Series	Description	Wattage	Lumens		Colour Temp.	Lengths Available	Cut Interval	Reel Usage	IP Rating	Control Options
	Dart	SERIES	A simple, highly efficient flexible strip light with superb light output.	3.6 W/m	410 lm/m		Natural (4000K)	5000mm	100mm	Cut multiple times	IP20	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Primo 2	SERIES	A versatile and efficient strip, ideal for use along plinths.	3.6 W/m	425 lm/m 415 lm/m		Cool (5000K) Warm (3000K)	5000mm	100mm	Cut multiple times	IP20	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Neutron	SERIES	At just 3.5mm in width, this is the industry's smallest flexible strip!	4.8 W/m	565 lm/m 560 lm/m 535 lm/m		Cool (5000K) Neutral (4000K) Warm (3000K)	5000mm	25mm	Cut once and use both ends if required	IP20	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Viva 3	SERIES	A versatile, silicone coated, IP54 flexible strip.	4 W/m	520 lm/m 505 lm/m 470 lm/m		Cool (5500K) Natural (4000K) Warm (3000K)	1000mm 2000mm 5000mm	50mm	Cut once and use both ends if required	IP54	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Sigma 2	SERIES	The innovative construction allows this bendable strip to go around 90 degree corners.	4.8 W/m	570 lm/m 575 lm/m 530 lm/m		Cool (5000K) Natural (4000K) Warm (3000K)	5000mm	50mm	Cut multiple times	IP20	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart
	Polar	SERIES	A superior strip with a fully diffused, continuous light output.	6 W/m	600 lm/m 600 lm/m 580 lm/m		Cool (6500K) Natural (4000K) Warm (3000K)	5000mm	31mm	Cut multiple times	IP20	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Radiant	SERIES	A fully diffused, bendable, silicone flex strip which can be recessed into a surface.	4.8 W/m	305 lm/m 293 lm/m 285 lm/m		Cool (6000K) Natural (4000K) Warm (3000K)	3000mm (natural) 5000mm (all)	50mm	Cut once and use both ends if required	IP65	Titan Titan+ Titan, Receiver & Remote Titan Dimmable Titan Smart Kinetic
	Ion 8	SERIES	Featuring our custom colour technology for light at your desired temperature.	6 W/m	600 lm/m		CCT (2700K - 6000K)	5000mm	50mm	Cut multiple times	IP20	Titan, CCT Receiver & Remote Titan+, CCT Receiver & Remote Titan Dimmable CCT Receiver & Remote Titan CCT Smart
	Ion 5	SERIES	Slimmer cousin to the Ion 8 at just 5mm in width with a high LED per metre count.	6 W/m	600 lm/m		CCT (2700K-6000K)	5000mm	50mm	Cut once and use both ends if required	IP20	Titan, CCT Receiver & Remote Titan+, CCT Receiver & Remote Titan Dimmable CCT Receiver & Remote Titan CCT Smart Kinetic
	Polar Pro	SERIES	A superior strip with a fully diffused, continuous light output and adjustable temperature.	6 W/m	600 lm/m		CCT (2700K - 6500K)	5000mm	31mm	Cut once and use both ends if required	IP20	Titan, CCT Receiver & Remote Titan+, CCT Receiver & Remote Titan Dimmable CCT Receiver & Remote Titan CCT Smart Kinetic
	Radiant Pro	SERIES	A fully diffused, bendable, silicone flex strip which can be recessed into a surface.	4.8 W/m	293 lm/m		CCT (2700K - 6500K)	5000mm	50mm	Cut once and use both ends if required	IP65	Titan, CCT Receiver & Remote Titan+, CCT Receiver & Remote Titan Dimmable CCT Receiver & Remote Titan CCT Smart Kinetic
	Flux	SERIES	A fully customisable flex strip. Set any RGB colour or white temperature.	6 W/m	220 lm/m 540 lm/m		RGB CCT (2700K - 6000K)	2000mm 3000mm 5000mm	142.5mm	Cut once and use both ends if required	IP20	Titan, RGB CCT Receiver & Remote Titan+, RGB CCT Receiver & Remote Titan Dimmable, RGB CCT Receiver & Remote Titan RGB CCT Smart Driver

DART
FLEXIBLE LED STRIP



- A simple, highly efficient flexible strip light with superb light output
- Available in natural white making it ideal for a range of kitchen styles
- Cut marks are indicated every 100mm to enable the strip to be cut closer to the desired length
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Compatible with Sensio single-colour receivers to enable dimming functionality
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Compatible with the Universal profile range (See chapter 3, p58)
- Supplied in a 5m reel
- The Dart can also be purchased as a kit with a 2.5m driver connection cable, pre-wired 13A 3pin plug and LED driver




The Dart is a part of the Series 1 range

- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24 or contact us for more details

2.5m Driver Connection Cable (SE101080) is required to run the Dart (sold separately if not bought as part of a kit)



Dimensions



Dart Flexible LED Strip - **Natural White (4000K), 60 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS
SE10355N0	3.6 W/m	24V	5000mm	Required	440 lm/m
SE10355N1	3.6 W/m	24V	5000mm	30W included	440 lm/m

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101080	2.5m Driver Connection Cable
SE100050	Interconnecting Clip
SE101050	50mm Corner Connector
SE100750	1.5m Interconnecting cable
SE9009	2.5m Extension Cable



SE101080
2.5m Driver Connection Cable



SE100050
Interconnecting Clip



SE101050
50mm Corner Connector



SE100750
1.5m Interconnecting cable



SE9009
2.5m Extension Cable

PRIMO 2
FLEXIBLE LED STRIP



Registered Design Right - 6024616

- A versatile and economic flexible strip ideal for kitchen or bedroom use, under cabinets, along plinths or inside cabinets or wardrobes
- The entire reel can be used with cut marks indicated every 100mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receivers to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Compatible with the Universal profile range (see chapter 3, p58)
- Supplied in a 5m reel

2.5m Driver Connection Cable (SE10180) is required to run the Primo 2 (sold seperately)



Dimensions



Primo 2 LED Flexible Strip - **Cool White (5000K), 60 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10755C0	3.6 W/m	24V	5000mm	Required	425 lm/m	£68.68
SE10755C1	3.6 W/m	24V	5000mm	30W included	425 lm/m	£115.10

Primo 2 LED Flexible Strip - **Warm White (3000K), 60 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10755W0	3.6 W/m	24V	5000mm	Required	415 lm/m	£68.58
SE10755W1	3.6 W/m	24V	5000mm	30W included	415 lm/m	£115.10

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE101080	2.5m Driver Connection Cable	£4.77
SE100050	Interconnecting Clip	£1.68
SE101050	50mm Corner Connector	£2.80
SE100750	1.5m Interconnecting cable	£5.19
SE9009	2.5m Extension Cable	£3.75



SE101080
2.5m Driver
Connection
Cable



SE100050
Interconnecting
Clip



SE101050
50mm Corner
Connector



SE100750
1.5m
Interconnecting
Cable



SE9009
2.5m Extension
Cable



SERIES

NEW


NEUTRON
3.5MM NANO LED FLEXIBLE STRIP



- The industry's smallest flexible strip measuring at only 3.5mm in width
- Ideal choice for kitchen designs where inconspicuous lighting is essential
- Highly compacted diodes greatly reduce the appearance of dots whilst providing a powerful light output
- Cut marks every 25mm enable the strip to be cut closer to the desired length reducing potential dark spots at each end
- Driver connection cables pre-soldered at either end of the strip
- Compatible with Sensio single-colour receiver to enable dimming functionality
- 3M VHB (Very High Bond) tape underneath the strip for secure installation
- Supplied in a 5m reel
- Compatible with the Nano-Lines and Micro-Lines profile ranges (see chapter 3, p58)



Dimensions



Neutron LED Flexible Strip - Cool White (5000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10455C0	4.8 W/m	24V	5000mm	Required	565 lm/m	£77.70

Neutron LED Flexible Strip - Natural White (4000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10425N0	4.8 W/m	24V	2000mm	Required	560 lm/m	£36.46
SE10455N0	4.8 W/m	24V	5000mm	Required	560 lm/m	£77.70

Neutron LED Flexible Strip - Warm White (3000K), 280 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10455W0	4.8 W/m	24V	5000mm	Required	535 lm/m	£77.70

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m Extension
Cable

sensio





VIVA 3
FLEXIBLE LED STRIP

- A versatile flexible strip light which can be used in multiple areas of the kitchen or bedroom including under cabinet, plinths or inside wardrobes
- Strip can be cut once and the cut off section used with a connector clip and interconnecting lead if required
- Can be cut to length every 50mm
- Male and female ends for simple installation
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP54 rated - limited ingress of dust and protected against sprays from any angle
- Supplied in a 1m, 2m or 5m reel
- Compatible with the Universal Profile range (see chapter 3, p58)

2.5m Driver Connection Cable (SE10314) is required to run the Viva 3 (sold seperately if not bought as part of a kit)

Dimensions



Viva3 LED Flexible Strip - **Cool White (5500K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10745C0	3.6 W/m	24V	500mm	Required	520 lm/m	£7.50
SE10715C0	3.6 W/m	24V	1000mm	Required	520 lm/m	£14.90
SE10715C1	3.6 W/m	24V	1000mm	6W included	520 lm/m	£42.08
SE10725C0	3.6 W/m	24V	2000mm	Required	520 lm/m	£24.85
SE10725C1	3.6 W/m	24V	2000mm	15W included	520 lm/m	£58.10
SE10655C0	3.6 W/m	24V	5000mm	Required	520 lm/m	£58.10
SE10655C1	3.6 W/m	24V	5000mm	30W included	520 lm/m	£107.73

Viva3 LED Flexible Strip - **Natural White (4000K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10715N0	3.6 W/m	24V	1000mm	Required	505 lm/m	£14.90
SE10715N1	3.6 W/m	24V	1000mm	6W included	505 lm/m	£42.08
SE10725N0	3.6 W/m	24V	2000mm	Required	505 lm/m	£24.85
SE10725N1	3.6 W/m	24V	2000mm	15W included	505 lm/m	£58.10
SE10655N0	3.6 W/m	24V	5000mm	Required	505 lm/m	£58.10
SE10655N1	3.6 W/m	24V	5000mm	30W included	505 lm/m	£107.73

Viva3 LED Flexible Strip - **Warm White (3000K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10745W0	3.6 W/m	24V	500mm	Required	470 lm/m	£7.50
SE10715W0	3.6 W/m	24V	1000mm	Required	470 lm/m	£14.90
SE10715W1	3.6 W/m	24V	1000mm	6W included	470 lm/m	£42.08
SE10725W0	3.6 W/m	24V	2000mm	Required	470 lm/m	£24.85
SE10725W1	3.6 W/m	24V	2000mm	15W included	470 lm/m	£58.10
SE10655W0	3.6 W/m	24V	5000mm	Required	470 lm/m	£58.10
SE10655W1	3.6 W/m	24V	5000mm	30W included	470 lm/m	£107.73

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE10314	2.5m Driver Connection Cable	£3.99
SE10317	1.5m Interconnecting Lead	£3.00
SE10316	50mm Corner Connector	£3.12
SE10318MCC	Mini Cut Connector Clip	£3.99
SE9009	2.5m Extension Cable	£3.75



SE10314
2.5M Driver
Connection Cable



SE10317
1.5M Inter
Connecting Lead



SE10316
50mm Corner
Connection Lead



SE10318MCC
Mini Cut
Connector Clip



SE9009
2.5m Extension
Cable



SIGMA 2
BENDABLE LED FLEXIBLE STRIP



Registered Design Right - 6024618



- An innovative bendable flexible strip that handles corners with ease
- A unique PCB board cut in a 'zig-zag' shape provides superb flexibility allowing you to bend the light around a corner
- Can be bent around 90 degree corners without the need for corner cables or starting a new run of strip
- The entire reel can be used with cut marks indicated every 50mm avoiding wastage
- Cut sections can be re-utilised with the joining clips and leads (sold separately)
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with 3M VHB (Very High Bond) adhesive tape backing for secure installation
- IP20 rated - protected against solid objects over 12mm (e.g. fingers)
- Supplied in a 5m reel



2.5m Driver Connection Cable (SE970850) is required to run the Sigma 2 (sold separately)



Dimensions



Sigma2 LED Flexible Strip - **Cool White (5000K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10855C0	4.8 W/m	24V	5000mm	Required	570 lm/m	£44.85
SE10855C1	4.8 W/m	24V	5000mm	30W included	570 lm/m	£86.39



Sigma2 LED Flexible Strip - **Natural White (4000K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10855N0	4.8 W/m	24V	5000mm	Required	575 lm/m	£44.85
SE10855N1	4.8 W/m	24V	5000mm	30W included	575 lm/m	£86.39

Sigma 2 flexible strip can be applied with a 90 degree bend with no break or connectors required.

Sigma2 LED Flexible Strip - **Warm White (3000K), 120 LED/m**

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10855W0	4.8 W/m	24V	5000mm	Required	530 lm/m	£44.85
SE10855W1	4.8 W/m	24V	5000mm	30W included	530 lm/m	£86.39

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE970750	1.5m Interconnecting cable	£5.46
SE970850	2.5m Driver Connection Lead	£5.93
SE970950	Joining Clip	£1.87
SE9009	2.5m Extension Cable	£3.75



SE970750
1.5m
Interconnecting
Lead



SE970850
2.5m Driver
Connection Lead



SE970950
Joining Clip



SE9009
2.5m Extension
Cable



POLAR
COB FLEXIBLE LED STRIP



- Provides a completely diffused line of light with no visible LED dots eliminating the need for a profile or cover
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- Superb light output with high lumen per watts
- 24V allows long runs of light without any light fade
- Compatible with Sensio single-colour receiver to enable dimming functionality
- Supplied with pre-soldered, 1.5m driver connection cables with a 2-pin connector at each end of the strip (2m reels one lead and connector only)
- Can be cut to length (every 31mm) and the whole reel can be utilised with the Polar Joining Clips (sold separately)
- Supplied in a 5m reel (and 2m in natural white only)
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range (see chapter 3, p58)



Dimensions



Polar COB LED Flexible Strip - Cool White (6000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE20055C0	6 W/m	24V	5000mm	Required	600 lm/m	£123.76
SE20055C1	6 W/m	24V	5000mm	30W included	600 lm/m	£142.69

Polar COB LED Flexible Strip - Natural White (4000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE20125N0	6 W/m	24V	2000mm	Required	600 lm/m	£46.78
SE20125N1	6 W/m	24V	2000mm	15W Included	600 lm/m	£77.72
SE20055N0	6 W/m	24V	5000mm	Required	600 lm/m	£123.76
SE20055N1	6 W/m	24V	5000mm	30W included	600 lm/m	£142.69

Polar COB LED Flexible Strip - Warm White (3000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE20055W0	6 W/m	24V	5000mm	Required	580 lm/m	£123.76
SE20055W1	6 W/m	24V	5000mm	30W included	580 lm/m	£142.69

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE112940	Polar Transparent Joining Clip	£1.72
SE112990	Polar Joining Clip	£1.55
SE105790	1.5m Polar Interconnecting Lead	£2.57
SE105990	50mm Polar Corner Connector	£1.95
SE103990	2.5m Polar Driver Connection Lead	£3.27
SE9009	2.5m Extension Cable	£3.75



SE112940
Transparent
Joining Clip



SE112990
Joining Clip



SE105790
Interconnecting
Lead



SE105990
Corner Connector




SE103990
Driver
Connection Lead



SE9009
2.5m Extension
Cable

RADIANT DIFFUSED FLEXIBLE LED STRIP

- An entirely diffused, bendable, silicone flexible strip light ideal for application across the kitchen or bedroom
- No visible LED dots
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets. (6 supplied with 3000mm and 10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry
- Compatible with Sensio dimmable receivers
- Supplied in a 5m reel (and 3m reel - natural white only)



Surface mounted application




Recessed in larder (not illuminated)

sensio




Flexible fit




The Radiant is flexible to a radius of 65mm or greater - Ideal for curving round an island unit

Recessed installation




Install with a push-fit application into a pre-routed channel for a seamless finish

Surface mounted



Utilise the mounting brackets to secure along a surface

Dimensions



Radiant LED Flexible Strip - Cool White (5500K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10555C0	4.8 W/m	24V	5000mm	Required	305 lm/m	£92.82
SE10555C1	4.8 W/m	24V	5000mm	30W included	305 lm/m	£129.65

Radiant LED Flexible Strip - Natural White (4000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10795N0	4.8 W/m	24V	1800mm	Required	293 lm/m	£42.07
SE10595N0	4.8 W/m	24V	1950mm	Required	293 lm/m	£43.32
SE10695N0	4.8 W/m	24V	2150mm	Required	293 lm/m	£44.58
SE105105N0	4.8 W/m	24V	3000mm	Required	293 lm/m	£66.52
SE105105N1	4.8 W/m	24V	3000mm	30W included	293 lm/m	£103.35
SE10555N0	4.8 W/m	24V	5000mm	Required	293 lm/m	£92.82
SE10555N1	4.8 W/m	24V	5000mm	30W included	293 lm/m	£129.65

Radiant LED Flexible Strip - Warm White (3000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10555W0	4.8 W/m	24V	5000mm	Required	285 lm/m	£92.82
SE10555W1	4.8 W/m	24V	5000mm	30W included	285 lm/m	£129.65

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE900940	Pack of 5 Mounting Brackets	£0.96



Clear Mounting Bracket (included)

ION 8
CCT FLEXIBLE LED STRIP




- Successor to the popular DuoFlex flexible strip, Ion 8 is the new and improved CCT flexible strip
- Over four times the number of LEDs per metre than it's predecessor, Ion 8 greatly reduces the appearance of visible LEDs providing a premium light output
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Can be cut to length (every 50mm) and the whole reel can be utilised with the Ion Joining Clips (sold separately)
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with the Universal Profile range (see chapter 3, p58)



2.5m driver connection cable required to run the Ion 8 (sold separately unless part of a kit)



Dimensions



Ion 8 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10855P0	6 W/m	24V	5000mm	Required	605 lm/m	£94.63
SE10855PS1	6 W/m	24V	5000mm	*Smart Kit	605 lm/m	£141.05
SE10855P1	6 W/m	24V	5000mm	**Kit	605 lm/m	£194.24

*Smart Kit - Includes 30W Titan Smart & 2.5m driver connection cable

**Kit - Includes 30W Titan Driver, CCT Receiver, Remote Control & 2.5m driver connection cable

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE111990	Ion 8 Joining Clip	£2.33
SE106990	50mm Ion 8 Corner Connector	£4.67
SE106790	1.5m Ion 8 Interconnecting Lead	£6.63
SE113990	2.5m Ion 8 Driver Connection Cable	£7.02
SE770390	Universal Remote Control	£40.48
SE771990	CCT Receiver	£35.24
SE90010	2.5m CCT Extension Lead	£5.74



- SE111990
Joining Clip
- SE106990
50mm Corner Connector
- SE106790
1.5m Interconnecting Lead
- SE113990
2.5m Driver Connection Cable
- SE770390
Universal Remote Control
- SE771990
CCT Receiver
- SE90010
2.5m CCT Extension Lead




ION 5
CCT FLEXIBLE LED STRIP



- Cousin to the wider Ion 8, Ion 5 benefits from a slimmer width at just 5mm
- A high number of LEDs per metre greatly reduces the appearance of visible LEDs providing a premium light output
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Supplied with pre-soldered, 1.5m driver connection cables with a 4-pin connector at each end of the strip.
- Can be cut to length (at 50mm intervals) with both ends of the strip being utilised
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- VHB (Very High Bond) adhesive tape backing for secure installation
- Supplied in a 5m reel
- Compatible with both the Universal and Micro-Lines Profile ranges (see chapter 3, p58)



Dimensions



Ion 5 CCT LED Flexible Strip - (2700K-6000K), 252 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10755P0	6 W/m	24V	5000mm	Required	600 lm/m	£92.81
SE10755PS1	6 W/m	24V	5000mm	*Smart Kit	600 lm/m	£157.69
SE10755P1	6 W/m	24V	5000mm	**Kit	600 lm/m	£211.27

*Smart Kit - Includes 30W Titan Smart

**Kit - Includes 30W Titan Driver, CCT Receiver & Remote Control

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote Control	£40.48
SE771990	CCT Receiver	£35.24
SE90010	2.5m CCT Extension Lead	£5.74



SE770390
Universal Remote
Control



SE771990
CCT Receiver



SE90010
2.5m CCT
Extension Lead


POLAR PRO
CCT COB LED FLEXIBLE STRIP



- A superior, colour temperature changing, flexible strip
- Completely diffused with no visible LED dots eliminating the need for a profile or cover
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Chip on Board (COB) technology provides superior light output
- Excellent thermal conduction resulting in a cool running strip
- Superb light output with high lumen per watts
- 24V allows long runs of light without any light fade
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied with pre-soldered, 1.5m driver connection cables with 4-pin connectors at each end of the strip
- Can be cut to length (at 31mm intervals) with both ends of the strip being utilised
- Supplied in a 5m reel
- VHB (Very High Bond) adhesive tape backing for secure installation
- Compatible with the Universal Profile range (see chapter 3, p58)



Dimensions



Polar Pro CCT COB LED Flexible Strip - (2700K-6000K), 512 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE20055P0	6 W/m	24V	5000mm	Required	600 lm/m	£138.50

Cables, Connectors & Accessories


CODE	DESCRIPTION	RRP
SE770390	Universal Remote Control	£40.48
SE771990	CCT Receiver	£35.24
SE900890	2.5m Driver Connection Lead	£5.84
SE901790	1.5m Interconnecting Lead	£4.58
SE902990	50mm Corner Connector	£3.65
SE903990	Joining Clip	£2.84
SE90010	2.5m CCT Extension Lead	£5.74



RADIANT PRO

CCT DIFFUSED FLEXIBLE LED STRIP

- A diffused, colour temperature changing and bendable, silicone flexible strip light ideal for application across the kitchen or bedroom
- No visible LED dots
- Discreet, slimline 4mm width
- Driver connection cables pre-soldered at either end of the strip so two lengths can be used from the same reel if required
- Cut marks are indicated every 50mm on the back of the strip
- Ideal for a flush, recessed finish with a simple push-fit application
- Can be surface mounted with the use of the mounting brackets. (6 supplied with 3000mm and 10 supplied with 5000mm reels)
- Supplied end caps provide a clean and IP rated finish to cut ends
- Able to navigate around curves on island units and cabinetry
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan Smart Kinetic Driver to control, zone and dim the lights
- Supplied in a 5m reel (and 3m reel - natural white only)




Surface mounted application



Recessed in larder (not illuminated)




Flexible fit




The Radiant is flexible to a radius of 65mm or greater - Ideal for curving round an island unit

Recessed installation




Install with a push-fit application into a pre-routed channel for a seamless finish

Surface mounted



Utilise the mounting brackets to secure along a surface

Dimensions



Radiant Pro LED Flexible Strip - (2700K-6000K), 160 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS	RRP
SE10555P0	4.8 W/m	24V	5000mm	Required	285 lm/m	£127.68

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE900940	Pack of 5 Mounting Brackets	£0.96
SE90010	2.5m CCT Extension Lead	£5.74



SE900940
Mounting
Brackets



SE90010
2.5m CCT
Extension Lead



FLUX
RGBCCT LED FLEXIBLE STRIP




Set to one of multiple colour options with a full range of RGB and cool to warm white



- A fully customisable, flexible strip light to suit any style, mood or atmosphere
- A combination of RGB and CCT provides the ultimate colour changing solution enabling colours to be mixed and matched to create millions of combinations
- Features 24 pre-set RGB colours and 11 shades of white (CCT)
- Colours can be set individually or RGB colours can be mixed with the CCT colours to create a multitude of different shades
- Each colour can also be dimmed to achieve further customisation
- A high number of LEDs per metre significantly reduces the appearance of individual LEDs
- Compatible with Sensio CCT Receiver and Universal Remote Control or the Titan RGBCCT Smart Driver to control, zone and dim the lights*
- Cut marks are indicated every 142.5mm on the back of the strip
- VHB (Very High Bond) adhesive tape backing for secure installation
- 5m reel supplied with driver lead attached to both ends (2m reel with lead at one end only)
- Compatible with the Universal Profile range (see chapter 3, p58)

*optimum colour choice and control is achieved using the RGBCCT Receiver and Universal Remote Control

Dimensions



Flux RGBCCT LED Flexible Strip - (2700K-6000K + RGB), 245 LED/m

CODE	WATTAGE	VOLTAGE	LENGTH	DRIVER	LUMENS (RGB)	LUMENS (CCT)	RRP
SE10625R0	6 W/m	24V	2000mm	Required	220 lm/m	340 lm/m	£49.51
SE106105R0	6 W/m	24V	3000mm	Required	220 lm/m	340 lm/m	£72.80
SE10655R0	6 W/m	24V	5000mm	Required	220 lm/m	340 lm/m	£123.75
SE10655R1*	6 W/m	24V	5000mm	30W included	220 lm/m	340 lm/m	£194.75

*Kit includes Flux Flexible Strip, RGBCCT Receiver, Universal Remote Control & 30W Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote Control	£40.48
SE770990	RGBCCT Receiver	£41.64
SE405595	RGBCCT Smart Driver	£57.41



SE770390
Universal Remote Control



SE770990
RGBCCT Receiver



SE405595
RGBCCT Smart Driver

— CCT Mode —



— RGB Mode —



INTEGRATED SOLUTIONS & PROFILES



- Profiles coupled with flexible strips offer a non-intrusive way of lighting the kitchen while enhancing the overall design
- Perfect for creating a flush, sleek look
- Creates fully diffused expanses of light without visible light diodes
- Simple to use and install, the versatility of flexible strip lighting makes it suited to a range of applications across the kitchen and using one of our Profiles increases the possibilities even further.

There are three families of profiles in the range:

Nano

Blaze, Gamma & Ray (to fit 3.5mm flexible strips)

Consisting of a recess mounted option and two surface mounted options, the Nano range has been cleverly designed to fit a 3.5mm wide flexible strip mounted on a 45° angle. This not only achieves a 100% diffused appearance with no visible diodes, it's also the key to the innovative corner connectors available for each profile, which enable the strip to pass through to achieve fully illuminated corners.

Micro

Vector, Accent, Adapt & Glow (to fit 5mm flexible strips)

Consisting of four profiles purposely designed for flexible strips 5mm in width or below, the Micro range is a diverse range of slim profiles intended to illuminate every area of the kitchen. Innovative features appear throughout the range including living hinges, illuminated corner connectors and versatile mounting brackets and each profile has been carefully designed to achieve a 100% fully diffused appearance with no visible diodes.

Universal

Adorn, Contour, Linia, Fino & Beam (to fit all flexible strips up to 10mm)

A universal range of profiles designed to fit any of the Sensio range of flexible strips. Includes recessed, surface mounted and angled installation as well as a profile specially designed to illuminate the handleless channel under a worktop.



	Profile	Style	Type	Application	Compatible Flex Strips
	Ray	Nano	Angled	Wardrobe / cupboard / under cabinet / shelving	Neutron
	Gamma	Nano	Surface mounted	Under cabinet / in-cabinet / under shelving	Neutron
	Blaze	Nano	Recessed	Under cabinet / in-cabinet / under shelving	Neutron
	Accent	Micro	Plinth	Plinth	Ion 5 or Neutron
	Adapt	Micro	Corner	Under cabinet / drawer / in- cabinet	Ion 5 or Neutron
	Glow	Micro	Shelf clip	Internal glass shelf	Ion5 or Neutron
	Vector	Micro	Slim	Handleless channel / under worktop	Ion 5 or Neutron
	Adorn	Universal	Shelf clip	Solid internal shelf	Compatible with all flexible strips
	Beam	Universal	Corner	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Fino	Universal	Surface mounted	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Linia	Universal	Recessed	Under cabinet / in-cabinet / wardrobe	Compatible with all flexible strips
	Contour	Universal	Handleless	Handleless channel / under worktop	Compatible with all flexible strips
	Manta	Integrated	Handleless	Cabinet base / front of shelf	Pre-installed LED strip
	Verona	Integrated	Cabinet Base panel	Under cabinet and in-cabinet	–
	Expanse	Integrated	Cabinet Back panel	In-cabinet	–



RAY

ANGLED PROFILE





Registered Design Right - 6077026

- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- Fully diffused, angled light source - prevents glare and ideal for wardrobes where the light needs to be focussed
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform inside the profile is angled to enable the flexible strip to extend around corners when paired with the Ray corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Supplied with pre-applied VHB tape for simple "peel and stick" installation
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)

Compatible with Neutron Flexible Strip





Application



Stick the flexible LED strip inside the profile with the pre-applied 3M VHB tape. Slide on the cover and slot in the end caps. Peel the pre-applied 3M VHB tape on the Ray profile and present it to the flat surface.

The flexible strip sits along the back corner of the profile, emitting light forwards through the angled diffuser.

Dimensions



Ray - Angled Profile

CODE	DESCRIPTION	LENGTH	RRP
SE184720	Profile & End Caps (L&R)	1500mm	£15.02
SE184820	Profile & End Caps (L&R)	2500mm	£25.04

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE992950	Ray Internal Corner Connector	£5.27
SE991950	Ray External Corner Connector	£5.27
SE990950	Ray End Cap Kit (L&R)	£1.22
SE911950	Ray Mounting Brackets (x2)	£1.22



SE992950
Internal Corner Connector



SE991950
External Corner Connector



SE990950
End Cap Kit



SE911950
Mounting Brackets



GAMMA

SLIM SURFACE MOUNTED PROFILE



Registered Design Right - 6077037

- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin profile that produces an even spread of light with no visible LED points from the flexible strip
- Perfect for use under cabinets, in larders or wardrobes
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- Simple push-fit installation with brackets
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold separately)
- 1.5m length supplied with 2 mounting brackets and 2.5m length supplied with 4 mounting brackets (additional mounting brackets sold separately)


Compatible with Neutron Flexible Strip




Gamma - Slim Surface Mounted Profile

CODE	DESCRIPTION	LENGTH	RRP
SE183720	Profile, Mounting Bracket & End Caps (L&R)	1500mm	£15.29
SE183820	Profile, Mounting Bracket & End Caps (L&R)	2500mm	£25.04

Application




Stick the flexible LED strip inside the profile with the pre-applied 3M VHB tape. Slide on the cover and slot in the end caps. Push the profile into the the mounting brackets to hold in place.



The flexible strip sits along the back corner of the profile, emitting light downwards through the diffuser.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE989950	Gamma Internal Corner Connector	£5.27
SE988950	Gamma External Corner Connector	£5.27
SE987950	Gamma End Cap Kit (L&R)	£1.22
SE910950	Gamma Mounting Brackets (x2)	£1.22



SE989950
Internal Corner
Connector



SE988950
External Corner
Connector



SE987950
End Cap Kit



SE910950
Mounting
Brackets



BLAZE

SLIM RECESSED PROFILE



Registered Design Right - 6077034

- Designed specifically for the 3.5mm wide Neutron flexible strip - part of the Nano-Lines range of super slim lights and profiles
- An incredibly thin, diffused profile that produces an even spread of light with no visible LED points from the flexible strip
- Suitable for a range of applications in the kitchen and bedroom including wardrobes and cupboards
- The flexible strip mounting platform is angled to enable the flexible strip to extend round corners when paired with the Blaze corner connectors
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Simple push-fit installation
- Wide wings cover any router imperfections
- Can be cut to size
- Supplied with one set of end caps (additional end caps sold seperately)

Compatible with Neutron Flexible Strip




Blaze - Slim Recessed Profile

CODE	DESCRIPTION	LENGTH	RRP
SE182720	Profile & End Caps (L&R)	1500mm	£15.27
SE182820	Profile & End Caps (L&R)	2500mm	£25.48



Application




The Blaze profile sits into a pre-routed channel, with the strip's power cable concealed by feeding through behind the surface.

Simply click the diffused cover into place, creating a seamless line of light along the surface.

Use the additional corner accessories to create unique channel paths and guide the light around corners.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE986950	Blaze Internal Corner Connector	£5.27
SE985950	Blaze External Corner Connector	£5.27
SE984950	Blaze End Cap Kit (L&R)	£1.30



SE986950
Internal Corner
Connector



SE985950
External Corner
Connector



SE984950
End Cap Kit

RRP prices shown are inclusive of VAT



ACCENT PLINTH PROFILE



Registered Design Right - 6077029

- Designed for mounting flexible strip lighting along plinth boards
- Features an internal angled flexible strip mounting platform enabling the strip to extend around corners when paired with the corner connectors resulting in a fully illuminated light circuit with no dark corners
- The angled flexible strip mounting platform ensures the diffusion of individual LED points, as well being removable for ease of installation and serviceability
- Part of the Micro-Lines range exclusively designed for flexible strips 5mm in width or below
- Fits 16-18mm plinth boards
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)

Compatible with the Ion 5 or
Neutron Flexible Strip




Accent - Plinth Profile

CODE	DESCRIPTION	LENGTH	RRP
SE185700	Profile, Mounting Bracket & End Caps (L&R)	1500mm	£22.76
SE185800	Profile, Mounting Bracket & End Caps (L&R)	2500mm	£37.71




Application

1. Plinth top design




The Accent provides a discreet and fully diffused solution to mount a micro LED flexible strip to the plinth board, with a simple push fit design

2. Fit the Accent atop the plinth




Mount the profile by pushing the U-shaped section over the top of the plinth board. Connectors are available to extend the light around corners.

3. Attach the Plinth



Clip the plinth board into position under the base units.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE995950	Accent Internal Corner Connector	£5.27
SE994950	Accent External Corner Connector	£5.27
SE996950	*Accent Installation Aid	£1.14
SE993950	Accent End Caps	£1.22

*The Accent installation aid is required to apply the profile around a corner. (sold separately)



SE995950 Internal Corner Connector	SE994950 External Corner Connector	SE996950 Installation Aid	SE993950 End Caps
--	--	-------------------------------------	-----------------------------



ADAPT CORNER & DRAWER PROFILE



Registered Design Right - 6077033

- A corner profile perfect for installation under cabinets, shelves or inside larder units or drawers
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Fully diffused resulting in an even spread of light with no visible LED points from the flexible strip
- Can be cut to size
- Supplied with 2 end caps (additional end caps sold separately)
- 1500mm supplied with 2x mounting brackets and 2500mm supplied with 4 mounting brackets
- Drawer mounting brackets sold separately

Compatible with the Ion 5 or
Neutron Flexible Strip




Adapt - Corner & Drawer Profile

CODE	DESCRIPTION	LENGTH	RRP
SE186790	Profile, Mounting Bracket & End Caps (L&R)	1500mm	£23.70
SE186890	Profile, Mounting Bracket & End Caps (L&R)	2500mm	£40.62


sensio

Application




The Adapt shines light down and forwards. Simply cut to length, fit the flexible strip inside, click the cover closed and slot in the end caps. Push the profile housing into the the mounting brackets to hold in place.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE997950	Adapt Mounting Brackets	£5.27
SE999950	Adapt End Caps (L&R)	£5.27
SE998950	Adapt Drawer Mounting Brackets	£3.54






GLOW

GLASS SHELF CLIP PROFILE

Registered Design Right - 6077032


- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Features an innovative living hinge allowing the two parts of the profile to stay attached when the flexible strip is installed and making it simple to clip the two sections back together
- Can be cut to size
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit






Compatible with the Ion 5 or Neutron Flexible Strip

Application


Apply the flexible LED strip to the rear flap on the Glow profile, which then simply folds to click shut - positioning the light shining directly forward through glass shelving.



The front of the profile features a flexible grip to fit shelving from 4-8mm thick. Simply slot the Glow profile onto the back of the shelf.




Dimensions




Glow - Glass Shelf Clip Profile

CODE	DESCRIPTION	LENGTH	RRP
SE190790	Shelf Clip Profile	1000mm	£13.15



VECTOR SLIM HANDLELESS PROFILE



Registered Design Right - 6077023

- The ideal lighting solution for contemporary handleless kitchens
- Subtle and unobtrusive whilst emitting a powerful source of mood lighting
- Part of the Micro-Lines range of profiles which have been designed for flexible strips that are 5mm in width or below
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Features an angled light source that guarantees the diffusion of individual LED points
- Removable strip mounting plate for ease of installation and serviceability
- Fully diffused corner connectors result in a fully illuminated light circuit with no dark corners
- Can be cut to size
- Attaches inside the handlesless channel with VHB tape

Compatible with the Ion 5 or
Neutron Flexible Strip




Vector - Slim Handleless Profile

CODE	DESCRIPTION	LENGTH	RRP
SE181700	Profile & End Caps (L&R)	1500mm	£19.22
SE181800	Profile & End Caps (L&R)	2500mm	£29.09

sensio

Installation




The small form factor of the Vector profile discreetly installs under the worktop edge. Apply a flexible LED strip along the removable panel then click back into place.

Installation is simple peel and stick with the pre-applied high bond backing tape.

Build the lighting run using the additional range of corner accessories available to guide continuous illumination around the edge of units.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE982950	Vector Internal Corner Connector	£5.27
SE981950	Vector External Corner Connector	£5.27
SE983950	*Vector Installation Aid	£1.14
SE993950	Vector End Caps	£1.22


*The Vector installation aid is required to apply the profile around a corner. (sold separately)





ADORN

WOOD SHELF CLIP PROFILE



Registered Design Right - 6077040

- A discreet profile that clips on to the back of an internal cupboard shelf
- Features upwards and downwards facing light sources to illuminate the cupboard
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Features a U-shaped channel that clips around wooden shelves
- Fits 18mm wooden shelves
- Can be cut to size
- Attaches to the shelf with a simple push-fit


Compatible with all flexible strips



Pre-cut notch to conceal power cable routing

sensio

Application




Illuminate both above and below the shelf. Simply lay separate lengths of the flexible LED strip into either side of the dual channel design.

The diffused covers slide into place over each channel to provide symmetrical, even lighting up and down the back of the cabinet.

Discreetly power the flexible strips by passing the connection cables through the back of the cabinet and concealing a slimline Titan driver behind. (see p181 for our guide to selecting a driver)

Dimensions




Adorn - Wood Shelf Clip Profile

CODE	DESCRIPTION	LENGTH	RRP
SE190720	Shelf Clip Profile	1000mm	£23.47



BEAM ANGLED PROFILE



Compatible with all flexible strips

- Angled profile ideal for illuminating cupboards or larders providing an even spread of diffused light
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Light grey finished end caps
- Supplied with one cut out end cap to feed cables through and one with no cut-out for a neat finish
- Opal PC cover to diffuse the LED points
- Mounting brackets and end caps supplied with each profile (2 brackets with 1000mm & 4 with 2200mm)
- Additional mounting brackets and end caps sold separately




Beam - Angled Profile


CODE	DESCRIPTION	LENGTH	RRP
SE982120	Profile, Mounting Bracket & End Caps (L&R)	1000mm	£10.57
SE982220	Profile, Mounting Bracket & End Caps (L&R)	2200mm	£21.87



Application



Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE983050.1	Beam End Cap Set	£1.26
SE984050.1	Beam Mounting Bracket Set	£1.26




SE983050.1
End Cap Set

SE984050.1
Mounting
Bracket Set




FINO SURFACE MOUNTED PROFILE



Compatible with all flexible strips

- Perfect for use inside cabinets, larders or wardrobes
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Opal PC cover to diffuse the LED points
- Simple surface mounted application
- Mounting brackets and end caps supplied with each profile (2 brackets with the 1000mm and 4 with the 2000mm)
- Additional mounting brackets and end caps sold separately
- Available in both an aluminium and a black finish




Fino - Surface Mounted Profile


CODE	DESCRIPTION	LENGTH	RRP
SE981120	Aluminium Profile, Mounting Brackets & End Caps (L&R)	1000mm	£10.43
SE981180	Black Profile, Mounting Brackets & End Caps (L&R)	1000mm	£15.51
SE981220	Aluminium Profile, Mounting Brackets & End Caps (L&R)	2000mm	£21.58
SE981280	Black Profile, Mounting Brackets & End Caps (L&R)	2000mm	£31.77

sensio


Application



1: The felxible strip is applied into the base of the Fino.




2: The diffused cover and end caps simply slot into place.



3: The mounting brackets are secured to the surface where the profile is to be installed and then the Fino simply pushes into the brackets to secure.

NB: Consider the location of the driver and connecting lead powering the strip inside. See p182 for our Titan driver range.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE982050	Fino Aluminium End Cap Set	£1.11
SE982080	Fino Black End Cap Set	£1.14
SE981050	Fino Mounting Bracket Set	£1.22




SE982050
Aluminium
End Cap Set

SE982080
Black
End Cap Set

SE981050
Mounting
Bracket Set



LINIA RECESSED PROFILE



Compatible with all flexible strips




- Perfect for use inside cabinets, larders or wardrobes providing a flush fit for a minimalist finish
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- End caps protrude to fill the gap in furniture when cut with a router for neat finish
- Small wings cover any imperfections in the routed edge
- Supplied with end caps (2 with the 1000mm, 4 with the 2200mm. Additional end caps sold separately)
- Can be cut to size
- Available in both aluminium and black finishes

Linia - Recessed Profile


CODE	DESCRIPTION	FINISH	LENGTH	RRP
SE980120	Profile & End Caps (L&R)	Aluminium	1000mm	£10.13
SE980220	Profile & End Caps (L&R)	Aluminium	2200mm	£21.80
SE980180	Profile & End Caps (L&R)	Black	1000mm	£15.19
SE980280	Profile & End Caps (L&R)	Black	2200mm	£33.15




Application



Step 1: Cut the flexible strip to length, then secure it to the base of the profile





Step 2: Slide in the diffused cover and attach the end caps



Step 3: Lay the Linia into a pre-routed channel, sitting flush to the surface

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE980920	Linia Silver End Cap Set	£1.11
SE980980	Linia Black End Cap Set	£1.14



SE980920
Silver End
Caps (L&R)



SE980980
Black End
Caps (L&R)

RRP prices shown are inclusive of VAT



MANTA

INTEGRATED HANDLELESS PROFILE





- A truly integrated lighting profile for handleless kitchens, lighting both through the top and bottom of the profile
- Pre-fitted cool white flexible strip
- Installed on the front edge of the internal cupboard base shelf/panel or in the handleless channel to illuminate both inside the cupboard and down to the worktop
- Diffused cover ensures and even spread of light and no visible LED points
- Compatible with with Sensio single-colour receiver to enable dimming functionality
- Available in 8 lengths



Dual, diffused lighting illuminates both above, into the cabinet and below, onto the kitchen worktop. Replaces the existing fitting on handleless base panels.



Application



The Manta is designed to mount directly to the front of a base panel with a simple push-fit. Two channels are routed into the base panel. One along the front edge and a second down the side edge.

Slot the Manta profile into the front channel. Tuck the power cable neatly down the side and through the back. Power can be discreetly supplied with our slimline Titan driver concealed behind or on top of the cabinet.

Dimensions



Manta - Integrated Handleless profile - Cool White (4500K)

CODE	WATTAGE	VOLTAGE	LENGTH	QTY	LUMENS	DRIVER	RRP
SE27012C0	6.4 W	24V	361mm	1	503 lm	Required	£34.12
SE27412C0	14.3 W	24V	761mm	1	1070 lm	Required	£55.34
SE27512C0	15.4 W	24V	861mm	1	1225 lm	Required	£59.99
SE27712C0	21.1 W	24V	1161mm	1	1606 lm	Required	£67.37



CONTOUR

UNDER WORKTOP HANDLELESS PROFILE



Registered Design Right - 6037414

- Designed to sit just below the lip of the worktop to illuminate the handleless channel
- Provides protection of the flexible strip light when hands go to open drawers and cupboards
- Produces an even spread of light with no visible LED points from the flexible strip
- Part of the Universal range of profiles which are compatible with any of the Sensio flexible strip range
- Supplied with 2 end caps (additional end caps sold separately)
- Corner connectors sold separately

Compatible with all flexible strips




Contour - Under Worktop Handleless Profile

CODE	DESCRIPTION	LENGTH	RRP
SE98210	Profile & End Caps (L&R)	1500mm	£26.15
SE98220	Profile & End Caps (L&R)	2500mm	£43.57





Application

The front panel of the Contour removes to allow the easy installation of the flexible strip.




The profile mounts into place with a simple peel and stick using the pre-applied, high bond adhesive backing.



Light from the flexible LED strip is emitted inside the profile and then reflected down through diffused lower panel, eliminating the visibility of LED dots and providing a soft continuous glow.

Dimensions



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE97890	Contour Internal Corner Connector	£4.57
SE97990	Contour External Corner Connector	£4.57
SE97790	Silver Contour End Cap Set	£3.75



SE97890
Internal Corner Connector



SE97990
External Corner Connector



SE97790
End Cap Set



VERONA

CCT LED ILLUMINATED BASE PANEL



- A unique, integrated illuminated glass base panel with a superb light output that can transform a normal kitchen wall base unit into an illuminated base panel casting light both down to the worktops and up inside the wall unit
- The LEDs are encased between two glass panels which diffuse the light across the whole panel
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Controlled with a simple hand swipe to activate the integrated IR sensor




Full specification and pricing available on request

Verona - CCT LED Illuminated Base Panel (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	SIZE
SE13792N0	1.9 W	24V	263 x 329 x 21mm
SE13092N0	2.9 W	24V	363 x 329 x 21mm
SE13292N0	3.3 W	24V	463 x 329 x 21mm
SE13392N0	4.2 W	24V	563 x 329 x 21mm
SE13492N0	5.6 W	24V	763 x 329 x 21mm
SE13592N0	6.2 W	24V	863 x 329 x 21mm
SE13692N0	7.1 W	24V	963 x 329 x 21mm


Application



The Verona is designed to flood light both over the work surface and up inside the cabinet, acting as the base panel for the cabinet structure.

Activate the lighting and adjust colour temperature with intuitive, hands-free control via the integrated infra-red sensor.

Dimensions





EXPANSE PRO / EXPANSE
CCT & NATURAL WHITE,
LED ILLUMINATED BACK PANELS



- Perfect for creating a showcase of glass-fronted cabinets or flooding cupboards with light
- Installs into the back of wall units with magnetic fixing brackets
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17. (Also available in single-colour natural white)
- Fully diffused light – no visible diodes
- Provided with pre-connected lead to connect directly into the driver

ExpansE Pro - CCT LED Illuminated Back Panel (2700K - 6000K)


CODE	LUMENS	WATTAGE	VOLTAGE	SIZE	CABLE LENGTH	RRP
SE14092P0	1300 lm	13 W	24V	680 x 460 x 9.5mm	1500mm	£132.02
SE14192P0	2265 lm	24 W	24V	463 x 523 x 9.5mm	1500mm	£110.94
SE14292P0	2960 lm	28 W	24V	563 x 523 x 9.5mm	1500mm	£116.15
SE14392P0	2665 lm	28 W	24V	463 x 686 x 9.5mm	1500mm	£117.71
SE14492P0	2919 lm	28 W	24V	563 x 686 x 9.5mm	1500mm	£121.35

NEW
NEW
NEW
NEW

ExpansE - Natural White LED Illuminated Back Panel (4000K)


CODE	LUMENS	WATTAGE	VOLTAGE	SIZE	CABLE LENGTH	RRP
SE14092N0	1300 lm	13W	24V	680 x 460 x 10mm	1500mm	£112.21

Application



The ExpansE is designed to cover the entire rear panel of a cabinet, flooding the interior with backlit illumination. Installation is seamless with a simple magnetic bracket system to hold the panel in place.

Dimensions





CORNER PANTRY PACK LED LIGHTING KIT



- A full pack of complimentary products to illuminate corner pantry units
- Includes both a spot light to cast light downwards from the top and a flexible strip to install inside the door frame to illuminate the shelving

Contains

- 1x Zeta – stainless steel under cabinet spotlight
- 1x Dart – 5m reel flexible LED strip
- 1x Link-S – door sensor with additional switch for double doors
- 1x 30W Titan Driver – powers the lighting with pre-wired 13A plug

Corner Pantry Pack - **Natural White (4500K) Lighting Kit**

CODE	TOTAL WATTAGE	VOLTAGE	RRP
SE13195N0	20 W	24 V	£143.68



Zeta (see p100)



Dart (see p34)



Link-S (see p191)



30W Titan Driver with plug (see p182)

sensio



EXPANSE PRO CCT, LED ILLUMINATED PANEL (see p86 for more details)

UNDER CABINET SPOT LIGHTING



- Ensures the kitchen becomes a more effective working space for everyday tasks such as food preparation
- Typically positioned under wall units to illuminate worktops
- Variety of shapes, sizes and finishes offer the opportunity to make a feature of the lighting and compliment the design of the kitchen






PLAZA
LED SQUARE UNDER CABINET LIGHT



Dimensions



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible LED dots
- Superb, diffused light output – CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with Sensio switches, single-colour receiver and dimmable driver
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

The Plaza is a part of the Series 1 range
- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family
see p24 or contact us for more details

Plaza LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11090N0	3.6 W	24V	1	250 lm	Required
SE11090N3	10.8 W	24V	3	250 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



SE9009
2.5m
Extension cable




SOLO
LED UNDER CABINET LIGHT



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

Dimensions



- Stylish, slimline design
- Removable magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light - no visible dots
- Superb, diffused light output – CRI : 90
- Ideal for under cabinet lighting
- Simple to install
- Compatible with Sensio switches, single-colour receiver and dimmable driver
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

The Solo is a part of the Series 1 range
- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family
see p24 or contact us for more details

Solo LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11192N0	2.5 W	24V	1	180 lm	Required
SE11192N3	7.5 W	24V	3	180 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



SE9009
2.5m
Extension cable



TREOS
LED SLIM TRIANGULAR
UNDER CABINET LIGHT




- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused - no visible dots
- Easy to install plug and play technology
- Compatible with Sensio switches, single-colour receiver and dimmable driver
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver



The Treos is a part of the Series 1 range

- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24 or contact us for more details

Dimensions



Treos LED Under Cabinet Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11290N0	2 W	24V	1	180 lm	Required
SE11290N3	6 W	24V	3	180 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



SE9009
2.5m
Extension cable



VELOS
LED UNDER CABINET LIGHT



- Super slimline design
- Brushed aluminium finish
- Magnetic mounting plate conceals fixings for a clean finish
- Ideal for under cabinet lighting
- Elongated design allows for vast spread of light across the worktop
- Suberb light output
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with Sensio switches, single-colour receivers and dimmable drivers
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver





The Velos is a part of the Series 1 range

- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24 or contact us for more details



Dimensions



Velos LED Under Cabinet Light - **Natural White (4000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11092N0	4.8 W	24V	1	290 lm	Required
SE11092N3	14.4 W	24V	1	290 lm	15W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



SE9009
2.5m
Extension cable

Recessed

ZETA
LED SURFACE/RECESSED SPOT LIGHT






- Compact, stylish appearance
- Supplied with removable collar to allow for either a surface mounted or recessed finish
- Diffused light - no visible dots
- Stainless steel finish
- Ideal for under cabinet or in cabinet feature lighting
- Easy to install
- Compatible with Sensio switches, single-colour receivers and dimmable drivers
- Available in natural white making it ideal for a range of kitchen styles
- Kits supplied with a pre-wired, 13A 3pin plug and driver

The Zeta is a part of the Series 1 range

- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24 or contact us for more details



Dimensions



Quick connect installation

Zeta LED Under Cabinet Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER
SE11190N0	2 W	24V	1	180 lm	Required
SE11190N3	6 W	24V	3	180 lm	6W Included

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE9009	2.5m Extension Cable



SE9009
2.5m
Extension cable




APEX TRIOTONE®
SLIMLINE LED UNDER CABINET SPOTLIGHT



- Super slimline design
- Stainless steel finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Removable collar allows for both surface mounting and recessed fitting
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting (find out more on p17)
- Diffused LEDs
- Suberb light output – CRI : 90
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel



Light fitting with
TrioTone® switch



Installation mount

Apex TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE12090T0	Stainless Steel	1.5 W	24V	1	100 lm	Required	£16.19
SE12090T3	Stainless Steel	4.5 W	24V	3	100 lm	6W Included	£59.40

NEW
NEW

Cables, Connectors & Accessories


CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable




ARK
LED UNDER CABINET LIGHT



- An elongated design offers a vast spread of light across worktops
- Fully diffused lens - no visible LED dots
- High number of LEDs for bright light output
- Easy installation using daisy chaining to fit multiple lights into one area
- Removable magnetic bezel conceals fixings for a sleek finish
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

Ark LED Under Cabinet Light - **Cool White (5000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11192C0	2.5 W	24V	1	180 lm	Required	£22.86
SE11192C3	7.5 W	24V	3	180 lm	15W Included	£87.22

Ark LED Under Cabinet Light - **Warm White (3000K)**


CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11192W0	2.5 W	24V	1	180 lm	Required	£22.86
SE11192W3	7.5 W	24V	3	180 lm	15W Included	£87.22

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable




ARK TRIOTONE®
LED UNDER CABINET LIGHT



- An elongated design offers a vast spread of light across worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch , concealed under the front bezel (find out more on p17)
- Magnetic mounting plate conceals fixings for a clean finish
- Fully diffused lens - no visible dots
- High number of LEDs for bright light output – CRI : 90
- Removable magnetic bezel conceals fixings for a sleek finish
- Easy installation using daisy chaining to fit multiple lights into one area
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel provides simple installation and conceals fixings for a seamless finish



TrioTone® switch - a simple slider located on the side of the main light unit (magnetic bezel removed)

ArkTrioTone® LED Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11192T0	2.5 W	24V	1	160-180 lm	Required	£27.37
SE11192T3	7.5 W	24V	3	160-180 lm	15W Included	£90.13

Cables, Connectors & Accessories


CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable






ASTRO TRIOTONE®
LED UNDER CABINET LIGHT



- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium, black, brass or copper finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Ideal for under cabinet lighting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back fitting (find out more on p17)
- Elongated design allows for vast spread of light across the worktop
- Suberb light output – CRI : 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Compatible with Sensio switches, single-colour receiver and dimmable driver

Dimensions



Astro TrioTone® Led Under Cabinet Light - (3000K, 4000K, 5000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11190T0.1	Brushed Aluminium	4.8 W	24V	1	280-300 lm	Required	£32.00
SE11190T3.1	Brushed Aluminium	14.4 W	24V	3	280-300 lm	15W Included	£116.34
SE11198T0.1	Black	4.8 W	24V	1	280-300 lm	Required	£34.22
SE11198T3.1	Black	14.4 W	24V	3	280-300 lm	15W Included	£120.84
SE11196T0	Brass	4.8 W	24V	1	280-300 lm	Required	£34.51
SE11196T3	Brass	14.4 W	24V	3	280-300 lm	15W Included	£123.04
SE11197T0	Copper	4.8 W	24V	1	280-300 lm	Required	£34.51
SE11197T3	Copper	14.4 W	24V	3	280-300 lm	15W Included	£123.04

Cables, Connectors & Accessories


CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable





BERMUDA
LED TRIANGLE LIGHT



- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Quick Connect port on the back of the fitting for easy installation
- Suberb, lumen output
- Diffused light panel – no visible LED dots
- Dimmable (requires a suitable dimmable driver or single-colour receiver)
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Bermuda LED Triangle Light - **Cool White (5000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE90010C0	2 W	24V	1	180 lm	Required	£19.20
SE90010C3	6 W	24V	3	180 lm	6W Included	£77.75

Bermuda LED Triangle Light - **Warm White (3000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE90010W0	2 W	24V	1	180 lm	Required	£19.20
SE90010W3	6 W	24V	3	180 lm	6W Included	£77.75

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable





BERMUDA TRIOTONE® LED TRIANGLE LIGHT

Registered Design Right - 6022106



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting (find out more on p17)
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Compatible with Sensio switches, single-colour receiver and dimmable driver

Dimensions



Quick connect installation



Colour temperature switch

Bermuda TrioTone® HD LED Triangle Light - (3000K, 4000K, 5000K)


CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE21000	2 W	24V	1	170-190 lm	Required	£28.05
SE21000K3	6 W	24V	3	170-190 lm	6W Included	£103.77

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable





HORIZON TRIOTONE®
SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch , concealed under the front bezel (find out more on p17)
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light – no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

TrioTone® switch - a simple slider located on the main light unit (magnetic bezel removed)

Horizon TrioTone® LED Spot Light - **3000K, 4000K, 5000K**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11095T0	3.6 W	24V	1	250 lm	Required	£20.93
SE11095T3	10.8 W	24V	3	250 lm	15W Included	£86.11

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable





HYPE TRIOTONE®
LED SURFACE / RECESSED SPOT LIGHT

Registered Design Right - 6022106

- A simple, highly effective, stainless steel feature under cabinet light
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting (find out more on p17)
- Removable collar allows for both mounted and recessed fitting
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Dimmable (requires a suitable dimmable driver or receiver)
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Quick connect installation



Colour temperature switch

Hype TrioTone® LED Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE21100	2 W	24V	1	170-190 lm	Required	£21.84
SE21100K3	6 W	24V	3	170-190 lm	6W Included	£94.80

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75




SE9009
2.5m
Extension cable

SERIES




NEO TRIOTONE® LED UNDER CABINET LIGHT

- An elongated light panel to create a wide spread of light across the worktop
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch underneath the front bezel of the fitting (find out more on p17)
- Featuring Prismatic LED technology
- Contains an innovative diffuser with an etched design to completely diffuse the light
- No visible LED dots reflect off the worktop
- Superb, bright light output – CRI : 90
- Dimmable (requires a suitable dimmable driver or receiver)
- Removable front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

TrioTone® switch - a simple slider located on the main light unit (magnetic bezel removed)

Neo TrioTone® LED Light - **Stainless Steel** - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11590T0	4.8 W	24V	1	240-280 lm	Required	£34.92
SE11590T3	14.4 W	24V	3	240-280 lm	Included	£125.19

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75
SE91598N0	Black Bezel	£7.49



SE9009
2.5m
Extension cable



SE91598N0
Black Bezel

sensio

NEXUS

LED TRIANGLE UNDER CABINET LIGHT

- Stylish, stainless steel triangular design
- Perfect under cabinet task lighting
- Fully diffused – no visible dots
- Easy to install plug and play technology
- Compatible with Sensio switches, single-colour receivers and dimmable drivers
- Available in cool white and warm white making it ideal for a range of kitchen styles

Nexus LED Light - Cool White (5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11090C0	2 W	24V	1	180 lm	Required	£19.54
SE11090C3	6 W	24V	3	180 lm	6W Included	£80.09

Nexus LED Light - Warm White(3000K)


CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11090W0	2 W	24V	1	160 lm	Required	£19.54
SE11090W3	6 W	24V	3	160 lm	6W Included	£80.09

Cables, Connectors & Accessories


CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable



Dimensions




NEXUS TRIOTONE®

LED TRIANGLE UNDER CABINET LIGHT

- A temperature colour changing version and cousin to the single colour Nexus
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch (find out more on p17)
- Fully diffused – no visible LED dots
- Easy to install plug and play technology
- Compatible with Sensio dimmable drivers



Dimensions



Nexus TrioTone® LED Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11090T0	2 W	24V	1	170-190 lm	Required	£21.52
SE11090T3	6 W	24V	3	170-190 lm	6W Included	£83.00

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable




SERIE5

ARK PRO CCT LED UNDER CABINET LIGHT



- Ideal for under cabinet lighting
- Removable front bezel provides simple installation, hidden fixings and a sleek finish
- Multiple fittings can be daisy chained for easy installation
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Diffused light panel - no visible dots
- Dimmable
- High light output – CRI : 90
- Activated and controlled with either the CCT Receiver and Remote Control, Ark Pro IR or Titan Smart Kinetic Driver (all sold separately unless part of a kit)

Dimensions



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

Ark Pro - CCT LED Light (2700-6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11192P0	2.5 W	24V	1	160-180 lm	Required	£28.83
SE11192P3*	7.5 W	24V	3	160-180 lm	15W Included	161.62
SE11192PS3**	7.5W	24V	3	160-180 lm	15W Included	£127.84

*SE11192P3 includes 3x Ark Pro, 15W Driver, CCT Receiver & Universal Remote Control

** SE11192PS3 Smart Kit includes 3x Ark Pro & 15W CCTTitan Smart Kinetic Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote	£40.48
SE771990	CCT Receiver	£35.24
SE90010	2.5m CCT Extension Lead	£5.74



SE771990
CCT Receiver



SE770390
Remote Control




SE90010
2.5m CCT
Extension Lead

sensio®




ASTRO PRO
CCT LED UNDER CABINET LIGHT



- Fully diffused with no visible LED 'dots'
- Super slimline design
- Brushed aluminium or black finish
- Magnetic mounting plate installation conceals fixings for a clean finish
- Ideal for under cabinet lighting
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Elongated design allows for vast spread of light across the worktop
- Suberb light output – CRI: 90
- Wide, 120° beam angle eliminates dark areas
- Simple to install
- Activate and control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



Dimensions



Astro Pro - CCT Under Cabinet Light (2700K - 6000K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11190P0	Brushed Aluminium	4.8 W	24V	1	240-270 lm	Required	£35.16
SE11198P0	Black	4.8 W	24V	1	240-270 lm	Required	£38.00
SE11190PS3	Brushed Aluminium	14.4 W	24V	3	240-270 lm	*Smart Kit	£150.32
SE11198PS3	Black	14.4 W	24V	3	240-270 lm	*Smart Kit	£156.01

*Smart Kit - includes: 3x Astro Pro and 1x 15W CCT Titan Smart Kinetic Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote Control	£40.48
SE771990	CCT Receiver	£35.24
SE90010	2.5m CCT Extension Lead	£5.74



SE771990 CCT Receiver SE770390 Universal Remote Control SE90010 2.5m CCT Extension Lead




HORIZON PRO
CCT SQUARE LED UNDER CABINET LIGHT



- A contemporary, slimline, under cabinet spot light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Simple to install
- Removable, magnetic bezel conceals fixings for a sleek finish
- Innovative etched design completely diffuses light – no visible LED dots
- Superb lumen output for a flood of light
- Compatible with Sensio switches, single-colour receiver and dimmable driver



Dimensions



Magnetic bezel slots over the light, concealing fixings and providing a seamless finish.

Fitting pre-wired with 1500mm cable and 4-pin CCT connector

Horizon Pro - CCT LED Under Cabinet Light (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11095P0	3.6 W	24V	1	319 lm	Required	£24.40
SE11095PSK3*	10.8 W	24V	3	319 lm	Included	£127.01

*Smart Kit: 15W CCT Titan Smart Kinetic Driver included

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE90010	2.5m CCT Extension Lead	£5.74




SE90010
2.5m CCT
Extension Lead




HYPE R PRO
CCT LED SURFACE / RECESSED
SPOT LIGHT

Registered Design Right - 6117745

- Position every 500mm for a stylish, stainless steel feature under cabinet light
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Removable collar allows for both mounted and recessed fitting
- Stainless steel bezel can be removed and replaced with the black bezel and collar (sold separately)
- Quick Connect port on the back of the fitting for easy installation
- Superb, lumen output
- Diffused light panel – no visible LED dots
- Activate and control with the CCT Receiver and Remote Control, or Titan Smart Kinetic Driver and Link Sensio App (sold separately)



Dimensions



Hype R Pro - CCT LED Spot Light (2700K - 6500K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE90150P0	2 W	24V	1	231-243 lm	Required	£26.14

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote	£40.48
SE771990	CCT Receiver	£35.24
SE970980	Black Bezel & Collar	£6.11
SE90010	2.5m CCT Extension Lead	£5.74






NEO PRO
CCT LED UNDER CABINET LIGHT



- An elongated light panel to create a wide spread of light across the worktop
- Featuring Prismatic LED technology
- Contains an innovative diffuser with an etched design to completely diffuse the light
- No visible diodes reflect off the worktop
- Activated and controlled with either the CCT Receiver and Remote Control, Neo Pro IR or Titan Smart Kinetic Driver (all sold separately unless part of a kit)
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Superb, bright light output
- Dimmable
- Removable, magnetic front bezel simplifies installation and hides fixings
- Plug & Play connection
- Slim depth of just 10mm

Dimensions



Neo Pro - CCT LED Light (2700K-6000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	DRIVER	RRP
SE11590P0	4.8 W	24V	1	290-310 lm	Required	£36.37
SE11590P3*	14.4 W	24V	3	290-310 lm	15W Included	£186.96
SE11590PS3**	14.4 W	24V	3	290-310 lm	15W Included	£152.59

*SE11590P3 includes 3x Neo Pro, 15W Driver, CCT Receiver & Universal Remote Control

**SE11590PS3 Smart Kit includes 3x Neo Pro & 15W Titan Smart Kinetic Driver

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE770390	Universal Remote	£40.48
SE771990	CCT Receiver	£35.24
*SE91598N0	Black Bezel	£7.49
SE90010	2.5m CCT Extension Lead	£5.74



SE771990 CCT Receiver SE770390 Remote Control SE91598N0 Black Bezel SE90010 2.5m CCT Extension Lead

UNDER CABINET STRIP LIGHTING



- A great task lighting solution
- Creates a continuous run of unbroken light
- Simple to install and operate



UNDER-CABINET
STRIP LIGHTING

05




AXIS
240V LED STRIP LIGHT

- Ideal for under cabinet task lighting
- Diffused casing – no visible LED dots
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in natural white making it ideal for a range of kitchen styles

The Axis is a part of the Series 1 range
- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24

Axis 240V LED Strip Light - Natural White (4000K)

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS
SE10019N0	3 W	240V	1	222 mm	300 lm
SE10029N0	5 W	240V	1	343 mm	500 lm
SE10079N0	8 W	240V	1	524 mm	800 lm
SE10099N0	16 W	240V	1	904 mm	1600 lm



Dimensions

Cables, Connectors & Accessories

CODE	DESCRIPTION
SE101290	Joining Cable - 500mm





SE101290
500mm
Joining Cable

CONNEX
240V LED STRIP LIGHT

- Ideal for under cabinet task lighting
- Diffused casing – no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 222mm and 904mm
- Can be interlinked with the integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs
- Available in warm white making it particularly suited to traditional kitchen styles

Connex 240V LED Strip Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS	RRP
SE100190	3 W	240V	1	222 mm	300 lm	£12.31
SE100290	5 W	240V	1	343 mm	500 lm	£14.73
SE100790	8 W	240V	1	524 mm	800 lm	£16.20
SE100990	16 W	240V	1	904 mm	1600 lm	£22.42



Dimensions

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE101290	Connex Joining Cable - 500mm	£2.68



SE101290
500mm
Joining Cable




CONNEX TRIOTONE®
240V LED STRIP LIGHT


- Ideal for under cabinet task lighting
- One light, three colour temperatures
- Select cool white, natural white or warm white using the integrated rocker switch (find out more on p17)
- Diffused casing – no visible LED dots
- Mains powered
- Available in 4 lengths ranging between 343mm and 904mm
- Can be interlinked with an integrated connector to achieve the optimum run of light
- Supplied with 1.5m of bare ended mains cable for simple installation
- Can be wired into a mains wall switch for easy control or operated individually by a simple rocker switch
- Joining cables (sold separately) allow for corner connections and intermittent runs



Dimensions



Slot multiple Connex lights together to create a continuous lighting strip



Connex TrioTone® 240V LED Strip Light - **3000K, 4000K, 5000K**

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	LUMENS	RRP
SE100490	5 W	240V	1	343 mm	95 lm/m	£25.95
SE100590	9 W	240V	1	524 mm	95 lm/m	£30.43
SE100690	12 W	240V	1	623 mm	95 lm/m	£32.03
SE100890	16 W	240V	1	904 mm	95 lm/m	£37.93

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE101290	Connex Joining Cable - 500mm	£2.68



SE101290
500mm
Joining Cable

SHELF LIGHTING



- A stunning added extra to your lighting scheme for a sleek feel
- Perfect for creating a showcase with glass-fronted cupboards
- Illuminates the inside of units to improve visibility






TORINO
LED WALL MOUNTED SHELF



- Contemporary, illuminated feature wall shelf
- LEDs embedded within the frame creates a stunning glow as the light travels through the tempered glass
- Available in both black and silver finishes
- Available in two lengths (600mm & 900mm)
- Aluminium frame with tempered glass shelf
- Load bearing capacity 10kg



Dimensions



Torino LED Wall Mounted Shelf - Cool White (4500K)

CODE	COLOUR	WATTAGE	VOLTAGE	QTY	LENGTH	DRIVER	LUMENS	RRP
SE17232C0	Silver	5.4 W	24V	1	600 mm	Required	325 lm	£118.10
SE17262C0	Silver	8.4 W	24V	1	900 mm	Required	482 lm	£142.48
SE17238C0	Black	5.4 W	24V	1	600 mm	Required	325 lm	£118.10
SE17268C0	Black	8.4 W	24V	1	900 mm	Required	482 lm	£142.48




GENOA
INTEGRATED LED SHELF PROFILE



- Unique up-and-down shelf light suitable for 18mm wooden shelves
- Clips on to the rear of the shelf, light projects vertically in both directions
- Easy to install
- Incorporates integrated diffuser and 2 pre-installed, LED strips



Dimensions



Genoa Integrated LED Shelf Profile - Cool White (4500K)

CODE	WATTAGE	VOLTAGE	QTY	LENGTH	DRIVER	LUMENS	RRP
SE18592C0	8.9 W	24V	1	563 mm	Required	500 lm	£40.34







GLOW PRO / GLOW

ILLUMINATED GLASS SHELF CLIP

Registered Design Right - 6077032



- An inconspicuous solution to transform the appearance and functionality of feature cabinets as well as practical convenience lighting to locate items in a cupboards
- Emits relaxing mood lighting that flows out into the kitchen when used on glass feature shelves
- Can be cut to size at the marked cut points
- Fits 4-8mm glass shelves
- Attaches to the back of the shelf with a simple push-fit
- Available in both colour temperature changing (CCT) and single colour (cool white) options
- Correlated Colour Temperature (CCT) allows the perfect light temperature selection and transition from warm to cool white temperatures (find out more on p17)
- Cool white options compatible with Sensio single color receiver and Universal Remote Control to enable dimming functionality
- Glow Pro version compatible with Sensio CCT receiver and Universal Remote Control to adjust light temperature and enable dimming functionality





Flexible strip is pre-installed, ready to plug and play




Application

Remove the glass shelf from the cabinet and slide the Glow onto the back.

Feed the power lead directly through the back of the cabinet and power with a driver concealed behind or on top of the units. Control with a CCT receiver and Universal Remote Control or Titan Smart Kinetic Driver.



Dimensions



Glow Glass Shelf Clip Illuminated Profile - Cool White (5000K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER	RRP
SE19089C0	Cool White (5000K)	2.1 W	Shelf Clip Illuminated Profile	500mm	Required	£22.92
SE19039C0	Cool White (5000K)	2.64 W	Shelf Clip Illuminated Profile	600mm	Required	£30.78
SE19079C0	Cool White (5000K)	4.8 W	Shelf Clip Illuminated Profile	1000mm	Required	£40.43

Glow Pro Glass Shelf Clip Illuminated Profile - Natural White (4500K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER	RRP
SE19089N0	Natural White (4500K)	2.1 W	Shelf Clip Illuminated Profile	500mm	Required	£22.92
SE19079N0	Natural White (4500K)	4.8 W	Shelf Clip Illuminated Profile	1000mm	Required	£40.43

Glow Pro Glass Shelf Clip Illuminated Profile - CCT (2700K - 6000K)

CODE	LIGHT COLOUR	WATTAGE	DESCRIPTION	*LENGTH	DRIVER	RRP
SE19079P02	CCT (2700 - 6000K)	2.7 W	Shelf Clip Illuminated Profile	500mm	Required	£26.59
SE19079P01	CCT (2700 - 6000K)	6 W	Shelf Clip Illuminated Profile	1000mm	Required	£44.20

*Length in table represents cabinet size

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE772990	Single-Colour Receiver	£34.80
SE771990	CCT Receiver	£35.24
SE770390	Universal Remote	£40.48



SE772990
Single-Colour Receiver



SE771990
CCT Receiver



SE770390
Remote Control

DRAWER LIGHTING



- A functional convenience light making drawer contents easily visible
- Eliminates the need to turn on ceiling lighting to locate items
- An added touch that offers a high impact finish






DURA PLUS
LED BATTERY LIGHT WITH PIR SENSOR



- A versatile battery light which can be used both to illuminate drawers or cabinets
- Easy retro fit design & no electrical installation required
- Magnetic strip with 3M adhesive backing simply applies to the inside of the drawer
- Integrated PIR sensor activates the light
- If no movement is detected, the light will switch off after 20 or 60 second delay
- Powered by 4 AAA batteries (not included)
- Batteries will have an approximate lifespan of 8 months when used for 3 minutes per day
- Dual mode functioning switch on the back of the light - press functioning switch once to switch between the two modes

Dimensions



Dura Plus LED Battery Light with PIR Sensor - **Natural White (5000K)**

CODE	POWER	QTY	LENGTH	LUMENS	RRP
SE16097C0	4 x AAA batteries (not included)	1	300mm	40 lm	£25.50




VERSO
LED DRAWER LIGHT



- High definition LED drawer light perfect for both kitchen and bedroom drawers
- Integrated IR sensor on front edge - light will turn on and off when the drawer is opened and closed
- Low wattage allows a full drawer stack to be powered from a single driver
- Brackets and cable tidy supplied to ensure no loose, unsightly wires

Dimensions



Verso LED Drawer Light - **Natural White (4500K)**

CODE	WATTAGE	QTY	LENGTH	LUMENS	RRP
SE7305HDNW.24	3.3 W	1	562mm	338 lm	£54.22
SE7315HDNW.24	5.4 W	1	862mm	460 lm	£64.94
SE7320HDNW.24	6 W	1	962mm	500 lm	£70.16

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE9009	2.5m Extension Cable	£3.75



SE9009
2.5m
Extension cable

PLINTH LIGHTING



- Adds dimension and depth to the room
- Soft and unobtrusive, plinth lighting creates ambience
- Often an overlooked aspect of kitchen lighting, its impact can be extraordinary!



IRIS
LED PLINTH LIGHT



- A stylish, discreet fitting ideal for plinth boards or in the bathroom (Zone 2)
- Easy Plug & Play technology
- Fittings can be daisy chained for simple installation
- 2 x 750mm cable per fitting for daisy chain connection
- Available individually or as a pack of 4 (including the Titan driver and a 3 pin plug)
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Available in natural white making it ideal for a range of kitchen styles



The Iris is a part of the Series 1 range
- Minimum Order Quantity (MOQ) of 20 units applies
- For further information on the Series 1 family see p24

Iris LED Plinth Light - Natural White (4000K)


CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS
SE15990N0	0.32 W	24V	1	Required	5 lm
SE15990N4	1.28 W	24V	4	6W Included	5 lm PF*

*PF = per fitting

sensio

Dimensions

* Zone 2 - the area stretching to 60cm outside of the bath or shower and 60cm from water outlet of sink.



LUCE TRIOTONE®
LED SQUARE PLINTH LIGHT



- One light, three colour temperatures
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting (find out more on p17)
- Super thin, stainless steel square plinth lights
- Sits flush to the plinth board
- Diffused, integrated LEDs - no visible spots
- Easy to install
- Fittings can be daisy chained for simple installation
- Available individually or as a pack of 4



Luce TrioTone® LED Square Plinth Light - 3000K, 4000K, 5000K


CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS	RRP
SE15090T0	0.6 W	24V	1	Required	20 lm	£9.15
SE15090T4	2.4 W	24V	4	6W Included	20 lm*	£54.42

*Per fitting



RRP prices shown are inclusive of VAT

Dimensions



Warm

Natural


Cool

HALO TRIOTONE®
PLINTH LIGHT



TrioTone™ switch - a simple push button on the back of the fitting to cycle colour temperature presets

Dimensions





* Zone 2 - the area stretching to 60cm outside of the bath or shower and 60cm from water outlet of sink.

STELLAR PRO
CCT PLINTH LIGHT



Dimensions



Halo TrioTone® Plinth Light - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS	RRP
SE150000	0.5 W	24V	1	Required	32-35 lm	£9.62
SE150004	2 W	24V	4	6W Included	32-35 lm PF*	£54.36

*PF = Per fitting

Stellar Pro - CCT LED Plinth Light (2700K - 6000K)

CODE	WATTAGE	VOLTAGE	QTY	DRIVER	LUMENS	RRP
SE15190P0	1.5 W	24V	1	Required	60 lm/PF*	£14.73
SE15190PS4	6 W	24V	4	**Smart Kit	60 lm/PF*	£107.18
SE15190PS10	15 W	24V	10	**Smart Kit	60 lm/PF*	£183.19

*PF = Per fitting

**Smart Kit: 15W CCT Titan Smart Kinetic Driver included

CEILING LIGHTING



- Create statement lighting with stunning pendants
- Pendants provide perfect over-island, practical task lighting
- Recessed spotlights offer a sleek, minimalist feel and fill the space with light





BELLATRIX CRUSHED CRYSTAL PENDANT LIGHT




- Add glamour to your kitchen design suspending the Bellatrix above the kitchen island or dining table
- Beautiful crushed crystal layer in the bottom of the fitting
- Light bounces off crystals producing sparkling effect
- Polished chrome finish
- Suspended on 1.1m of stainless steel cables - cables are adjustable
- 972 integrated LEDs
- Superbly bright illumination
- Suitable for use with a wall dimmer
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical
- Dimmable when installed with a wall dimming switch



Bellatrix Crushed Crystal Pendant Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE32001W0	33.12 W	240V	1	2000 lm	£1015.07

Simple height adjustment




Crushed crystal diffuser



Easy height adjustment

Dimensions





SOLINAS BLACK PENDANT LIGHT



- A striking crushed crystal, matte black industrial style cylindrical pendant light
- Perfect for both single or cluster implementation
- Offers diffused illumination through its crystalline ring and underside lens
- Available in both cool and warm white with a replaceable GU10 LED bulb
- Suitable for use with a wall dimmer
- Suspended on a 1.4m black cable from a matt black ceiling mount
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical




Solinas Black Pendant Light - **Cool White (6500K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE82098C0	3.5 W	240V	1	164 lm	£81.58

Solinas Black Pendant Light - **Warm White (3000K)**

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE82098W0	3.5 W	240V	1	132 lm	£81.58

Dimmable on mains fitting




Cool white



Warm white

Dimensions





ZIRCONIA

CRYSTAL CONE PENDANT LIGHT



- Inject desirable mood lighting into your kitchen or bedroom with this exquisite droplet pendant
- Use above the kitchen island, dining table or in the bedroom
- Can be used in stylish clusters of 2 or 3 fittings
- 920mm stainless steel cable is adjustable
- Stylish chrome finish and clear base laced with floating crystals
- LED light reflects from each crystal giving sparkling effect
- 24 integrated LEDs
- IP44 rated - protected against solid objects over 12mm (e.g. fingers) and protected against water drops at a 15 degree angle from the vertical




Warm white, crystal & chrome

Zirconia Crystal Cone Pendant Light - Warm White (3000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE32101W0	4.8 W	24V	1	330 lm	£166.46

Simple height adjusting




To adjust: Push the pin to release or detract the stainless steel cable



Set at varying heights

Dimensions






TRIOTONE® IP65 FIRE RATED DOWNLIGHT




- A range of features and finishes in one fitting for the perfect ceiling spotlight
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting (find out more on p17)
- Incorporates integrated driver
- Super slim interchangeable bezels easily clip on and off the fitting
- 3 bezels included - white, chrome & brushed steel
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making it suitable for both kitchen and bathroom use (Zone 1 and 2)




Simple push fit installation



Self supported: Pop up the spring loaded arms and push the unit into a pre-routed ceiling hole. The arms will flip down to secure the light in place.



Dimensions



TrioTone® IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

CODE	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE62095T0	8 W	240V	1	650-700 lm	£40.77



Cube (black glass)

TRIOTONE® CUBE & CIRCA IP65 FIRE RATED DOWNLIGHT

Cube - Registered Design Right - 6056146
Circa - Registered Design Right - 6056147




- A stylish, glass bezel ceiling spotlight available in two shapes and two finishes
- Bezel available in both tinted black or clear glass
- Choose from either square with rounded corners (Cube) or round (Circa) fitting
- TrioTone® technology allows you to select cool white, natural white or warm white with a flick of the switch on the back of the fitting (find out more on p17)
- Incorporates integrated driver
- Easy to install (Plug & Play Technology)
- Fully tested to 30, 60, 90 minutes fire rating
- Dimmable from 0-100%
- Brighter than a 50W GU10 Halogen
- IP65 rated making them suitable for kitchen and bathroom use (Zone 1 and 2)



TrioTone® Cube & Circa IP65 Fire Rated Downlight - (3000K, 4000K, 5000K)

CODE	DESCRIPTION	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE62094T0	TrioTone® Circa (Clear Glass)	8 W	240V	1	650-700 lm	£51.24
SE62294T0	TrioTone® Circa (Black Glass)	8 W	240V	1	650-700 lm	£51.78
SE62194T0	TrioTone® Cube (Clear Glass)	8 W	240V	1	650-700 lm	£52.32
SE62394T0	TrioTone® Cube (Black Glass)	8 W	240V	1	650-700 lm	£52.87


Simple push fit installation




Self supported: Pop up the spring loaded arms and push the unit into a pre-routed ceiling hole. The arms will flip down to secure the light in place.

Dimensions


TrioTone® Circa



TrioTone® Cube



Quick connect wiring



SE62094T0 - Circa clear glass



SE62194T0 - Cube clear glass



SE62294T0 - Circa tinted glass



SE62394T0 - Cube tinted glass

POP-UP SOCKETS




- Discreet and concealed power points easily hidden into worktops
- Provides high output charging for USB devices and Qi charging
- A great option for offering power in kitchen island units





SENSIOPOD E
PULL UP SOCKET

- Slim handle sits almost flush with the worktop for a seamless finish
- Spring mounted handle - gentle push down to release then pull up
- 3 x Power sockets
- 2 x USB sockets
- Simple installation - 1.5m cable with 13A plug attached
- IP20 rated
- Available in stainless steel, aluminium and black finishes




SensioPod E - Pull Up Socket

CODE	COLOUR	CONNECTION	POWER SUPPLY	RRP
SE891900	Stainless Steel	13A plug	Sockets: 3 x power & 2 x USB	£82.62
SE894920	Aluminium	13A plug	Sockets: 3 x power & 2 x USB	£82.62
SE894930	Black	13A plug	Sockets: 3 x power & 2 x USB	£82.62



SENSIOPOD M
MOTORISED SOCKET

- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on the top of the pod
- 3 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



Qi charger in the top of the unit


SensioPod M - Motorised Socket with Qi Charger

CODE	COLOUR	CONNECTION	POWER SUPPLY	RRP
SE892920	Aluminium	13A plug	Sockets: 3 x power & 2 x USB	£406.24



SENSIOPOD M BLUETOOTH
MOTORISED BLUETOOTH SOCKET

- Motorised mechanism to raise and lower the unit
- Anti-trap feature stops the unit if an obstruction is detected
- Pausing feature to allow the pod to be partially lowered when in use
- Simple touch sensor control on top of the pod
- 2 x Power sockets
- 2 x USB sockets
- Integrated Qi charger in the top of the unit
- Integrated Bluetooth speaker to connect compatible devices for playing music
- Simple installation - 1.8m cable with 13A plug attached
- IP54 rated
- Aluminium finish



SensioPod M - Motorised Socket with Bluetooth & Qi Charger

CODE	COLOUR	CONNECTION	POWER SUPPLY	RRP
SE893920	Aluminium	13A plug	Sockets: 2 x power, 2 x USB ports & Bluetooth Speaker	£477.59




Qi charger in the top of the unit

Simple Installation


SensioPod E

A simple mounting ring contains the spring mechanism to raise and close the pod. The unit hangs open when recessed beneath the surface.




Create a hole

Route a hole in the work surface where the SensioPod will be installed.




Slot in the SensioPod

Recess the SensioPod into the hole so that the ring sits flush to the surface.




SensioPod M / M Bluetooth

A sleeve houses the motorised mechanism and descends beneath the work surface. Additional space should be considered as the lower part is taller.



Connect the power

Connect the power lead under the unit and plug into the power.



RECHARGEABLE BATTERY & LOW VOLTAGE WARDROBE LIGHTING



- Simple convenience lighting to illuminate dark spots in wardrobes and cupboards
- Illuminate the contents of your wardrobe in the dark without needing to turn the main room lighting on
- Low energy consumption while creating maximum impact



RECHARGEABLE BATTERY & LOW
VOLTAGE WARDROBE LIGHTING

11





ALTO
LED WARDROBE RAIL LIGHT



- Aluminium wardrobe rail light with anti-slip design
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 5.5 hours
- Can be cut to length
- Load bearing capacity 20kg
- Side mounting bracket set included
- USB charger sold separately

Minimum Order Quantity (MOQ) of 200 units applies

Dimensions



Alto LED Wardrobe Rail Light - Natural White (4500K)

CODE	WATTAGE	LENGTH	QTY	LEDS	LUMENS	RRP
SE53002C0	0.6 W	562mm	1	11pcs	55 lm	£76.79
SE53202C0	1 W	962mm	1	19pcs	95 lm	£98.23



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
03.2005.0800	USB adapter with 5m USB to pin cable	£12.00





INCLINE
LED WARDROBE STRIP LIGHT



- Suitable for use in a wardrobe or kitchen cabinet to illuminate the space
- Easy retro fit design & no electrical installation required
- Integrated PIR sensor activates the lights when wardrobe door opens
- Light will remain on for 30 seconds then switch off if no motion is detected
- Contains rechargeable lithium-ion battery
- 6.5 months battery power based on 2.5 minutes usage per day
- Average charging time is 4.5 hours
- USB charger sold separately

Minimum Order Quantity (MOQ) of 250 units applies

Dimensions



Incline LED Wardrobe Strip Light - Natural White (4500K)

CODE	WATTAGE	LENGTH	QTY	LEDS	LUMENS	RRP
SE20242C0	0.4 W	350mm	1	6pcs	27 lm	£100.03
SE20252C0	0.6 W	550mm	1	10pcs	48 lm	£102.73
SE20272C0	0.9 W	850mm	1	16pcs	80 lm	£123.43



Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE2007000	USB adapter with 5m USB to micro USB	£12.00




MAGNUM
RECHARGEABLE BATTERY LIGHT



- Ideal for wardrobes and kitchen cabinets
- Easy retro fit design and no electrical installation required
- Integrated PIR sensor with a 1.5m range of 120° activates the light
- Simple installation via a self adhesive magnetic plate - the light then attaches to the magnetic plate and removes for charging
- Contains rechargeable lithium-ion battery
- Rapid battery charge time (<2 hours)
- On/off switch to save battery capacity
- If no movement is detected, the unit will switch off after 10 seconds
- 6 months battery power - based on 2 minutes of usage per day
- 1.5m USB charger cable included



Dimensions



Magnum Rechargeable Battery Light - Natural White (4500K)

CODE	FINISH	WATTAGE	VOLTAGE	QTY	LUMENS	RRP
SE3391N0	Chrome	0.4 W	5V	1	100 lm	£34.42
SE3300N0	Stainless Steel	0.4 W	5V	1	100 lm	£33.14



RADIANT
DIFFUSED FLEXIBLE LED STRIP
(see p46 for more details)

LIGHTING CONTROL



- Multiple light type controls to enable light zoning
- Simple functionality via remotes, sensors or smart home devices
- Control the mood and functionality of the room with lights

Cool White


Natural White

Warm White



TITAN DRIVERS

Our Titan range of drivers are packed with features, offering an excellent choice based around how the lights will be controlled. All Titan drivers feature a slimline profile measuring just 16mm in depth making them a discreet solution that can be hidden away easily during installation. The drivers all feature integrated connector ports rather than a traditional distribution block, streamlining the design.




Multiple lighting lines

Simultaneously run multiple light lines. Just remember to total the wattage.



Advanced control options

Incorporate receivers and sensor extensions to increase the driver functionality.



STEP 1 – Choose the type of Titan based on how the lights will be controlled



Titan

A simple, straight-forward driver to convert mains current and connect lights to a wall switch.



Titan+

Offers lighting control via sensors. Titan+ drivers are compatible with four sensor controls - IR, PIR, Door and Push Switch.



Titan SMART KINETIC

Provides smart home device, voice activation and smart phone lighting control.

STEP 2 – Choose the wattage of the driver

Each driver can run several lights (even different types of light from the same driver) but the total wattage of all of those lights combined must not exceed the wattage of the driver.

Simply add up the wattage of all the lights and select a driver that has a wattage capacity equal to or greater than the total light wattage.

STEP 3 – Choose the driver with the correct number of ports

Each driver has a set number of ports that connect to your lights. For example, a driver with 6 ports can run a maximum of 6 lights.

EXAMPLE 1:

Operate with a wall switch
3 lights that are 1.5 watts each:
 $3 \times 1.5 = 4.5$ watts

A Titan 6W, 4 port driver would be required.

EXAMPLE 2:

Control with a hand swipe
4 lights, 2 of which are 2 watts each and 2 lights which are 3 watts each:

$(2 \times 2) + (2 \times 3) = 10$ watts

A Titan+ 15W 6 Port Driver and IR sensor would be required.



TITAN
DRIVER




- Slim 16mm depth
- Easy to use and install
- Available as 6W/15W/30W
- Integrated 2-pin connector, distribution ports
- Mains cable included

Add on a receiver and pair with the universal remote control to enable dimming or colour changing features for compatible lights. See p193 for options on receivers.

Titan - Driver			
CODE	WATTAGE	No. PORTS	RRP
SE490950	6W	4	£21.75
SE491950	15W	6	£28.80
SE492950	30W	6	£47.09

Cables, Connectors & Accessories		
CODE	DESCRIPTION	RRP
SE990990	*Driver Port Expander	£3.33
SE797990	Titan+ Sensor Adapter	£9.21

*Increase the capacity of the driver with an additional 12 ports.



SE990990
Driver Port Expander



SE797990
Titan+ Sensor Adapter



2m sensor cable length
Titan+ features an extra port for plug & play sensors

TITAN+
SENSOR DRIVER



- Slim 16mm depth
- Easy to use and install
- Available as 6W/15W/30W
- Integrated 2-pin connector, distribution ports
- Compatible lighting control accessories - PIR, IR, Switch & Door sensors. Simply plug in the chosen sensor to the designated port in the driver.
- Mains cable included
- Dimmable when paired with the Titan+ IR sensor

Titan+ - Sensor Driver			
CODE	WATTAGE	No. PORTS	RRP
SE495950	6W	4	£23.82
SE496950	15W	6	£27.23
SE497950	30W	6	£40.16

Cables, Connectors & Accessories		
CODE	DESCRIPTION	RRP
SE490250	IR Sensor	£15.13
SE491250	PIR Sensor	£17.22
SE492250	Push Switch	£8.03
SE493250	Door Sensor	£13.74
SE990990	*Driver Port Expander	£3.33

*Increase the capacity of the driver with an additional 12 ports.



SE990990
Driver Port Expander

TITAN+ SENSORS

The Titan+ range of sensors are compatible with the Titan+ driver, offering simple plug and play setup.

TITAN+
IR SENSOR

- Allows activation of all lighting plugged into the Titan+ driver with the swipe of a hand
- Detection range of 0-5cm
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable
- Adds dimmable functionality to Titan+ driver



TITAN+
PIR SENSOR

- Allows activation of all lighting plugged into the Titan+ driver by detecting motion
- Detection range of 0-3m
- Detection angle of 120°
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable



TITAN+
PUSH SWITCH

- Allows activation of all lighting plugged into the Titan+ driver with the push of a button
- Simple plug and play technology - easy to add the Titan+ IR sensor to any new or existing Titan+ driver
- Perfect for recessed mounting in to a worktop
- Features a robust clicker switch
- Cut out diameter of 12mm
- 2m connection cable





TITAN+
DOOR SENSOR

- Allows activation of all lighting plugged into the Titan+ driver with the opening and closing of doors
- Perfect for recessed or surface mounting (with the included bracket)
- Cut out diameter of 12mm
- 2m connection cable



Simple Installation

Titan+ sensors are supplied with a simple clip bracket for surface mounting under cabinets. Alternatively they can be concealed by recessing into a panel.



TITAN+
SENSOR ADAPTER



The Titan+ Sensor Adapter allows this sensor range to be used with any driver featuring 2-pin ports (e.g. standard Titan driver or alternative standard driver), to control lights placed afterwards in the chain.

Titan+ - Sensor Adapter		
CODE	DESCRIPTION	RRP
SE797990	Titan+ Sensor Adapter	£9.21
SE797991	Titan+ Double Door Sensor Adapter	£14.53



TITAN DIMMABLE DRIVER

- Depth of 16mm
- Integrated 2-pin connector, distributor ports
- 2m mains cable included
- Short circuit & overload protection
- Surge and thermal protection
- Wide dimming range: 5% - 100%
- Wall dimmable
- Easy to use - Just plug and play
- Minimum 25% load



Titan Dimmable - Driver

CODE	WATTAGE	WATTAGE	No. PORTS	RRP
SE40899	24V	30 W	6	£42.72
SE40699	24V	60 W	10	£49.90

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE990990	*Driver Port Expander	£3.33

*Increase the capacity of the driver with an additional 12 ports.




SE990990
Driver Port Expander



TITAN SMART RGBCCT FULL COLOUR CONTROL & VOICE ACTIVATED DRIVER

- For use with the Sensio Flux RGBCCT Flexible LED strip light
- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- Mains cable included



LINK SENSIO SMART PHONE APP

The “Link Sensio” app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart RGBCCT Driver.



Titan - Smart RGBCCT Driver

CODE	WATTAGE	CONTROL	No. PORTS	CHANNELS	RRP
*SE405595	30 W	RGBCCT	4	-	£62.01

Cables, Connectors & Accessories

CODE	DESCRIPTION	RRP
SE10625R0	Flux Flexible Strip (p55)	£49.51



SE10625R0
Flux



amazon alexa

Google Assistant

TITAN SMART KINETIC
WIRELESS SWITCH & VOICE ACTIVATED
DRIVER

- Slim 16mm depth
- Easy to use and Install
- Integrated distribution ports
- Compatible with Amazon Alexa & Google Assistant for voice activated control over the lighting
- Combine with the Link Sensio Smart Phone App (available for both Android and iOS devices) to access a multitude of clever features such as dimming, colour changing and lighting schedules
- For wireless lighting control, pair with the Titan Kinetic Switch - the multi-functional buttons allow intuitive control over power, dimming and colour temperature and require no wiring or mains power
- Mains cable included
- Available for both single-colour and CCT lights



LINK SENSIO
SMART PHONE APP

The “Link Sensio” app is available to download for free on both iOS and Android smart devices. Use the app, in conjunction with a smart home device, to operate our Titan Smart Kinetic Driver.




Titan - Kinetic Smart Driver

	CODE	WATTAGE	CONTROL	No. PORTS	CHANNELS	RRP
NEW	SE406581	15 W	Single-colour	5	5	£59.16
NEW	SE406591	30 W	Single-colour	5	5	£68.73
NEW	SE406582	15 W	CCT	3	3	£59.71
NEW	SE406592	30 W	CCT	6	3	£70.42



KINETIC SWITCH
WIRELESS CONTROL


- Simple installation
- Can be installed anywhere
- No additional power or wiring required
- Simple, wall mount installation via screws or adhesive tape included
- One, two and three gang options available for additional control functions such as dimming, colour adjust and zoning



Titan - Kinetic Switch

	CODE	DESCRIPTION	RRP
NEW	SE781990	1 Gang	£27.61
NEW	SE782990	2 Gang	£33.24
NEW	SE783990	3 Gang	£38.87



Easy installation: simply press the kinetic switch button on the driver until the light flashes, then press the button you wish to pair on the kinetic switch.



UNIVERSAL REMOTE CONTROL

- The remote can control single colour lighting (dimming), CCT (tunable white) and RGB (colour changing) lights
- Offers a multitude of functions including the ability to set up channels and zone lighting
- Wall mounting bracket provided to keep the remote safe and secure when not in use
- Requires 2x AAA batteries (not included)

Use in conjunction with the appropriate receiver for the chosen lights.



sensio®	Universal Remote Control	
	CODE	RRP
	SE770390	£40.48


RECEIVERS

Select the correct receiver from the choices below depending on whether your are controlling single colour, CCT or RGB CCT lights.

SINGLE COLOUR RECEIVER

- Control single colour lighting products (e.g warm white colour temperature lights)
- Combine use with the Universal Remote Control to:
 - turn the lights on/off
 - dim to your preferred lighting level
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with the a single Universal Remote Control
- 30m range
- 96W at 12V and 192W at 24V


SERIE3



CCT RECEIVER

- Control CCT (Correlated Colour Temperature) lighting products
- Combine use with the Remote Control to:
 - turn the lights on/off
 - dim to your preferred lighting level
 - select your light colour temperature
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 60W at 12V and 120W at 24V


SERIE5



RGB CCT RECEIVER

- Control RGB and CCT (Colour Changing Technology) lighting products
- Combine use with the Remote Control to:
 - turn the lights on/off
 - dim to your preferred lighting level
 - select your light colour temperature (CCT), or
 - light colour (RGB)
- The receiver has a memory function to recall settings
- Multiple receivers can be paired with a single Universal Remote Control
- 30m range
- 36W at 12V and 72W at 24V

SERIE5



Receivers

CODE	DESCRIPTION	NO. PORTS	RRP
SE772990	Single Colour Receiver	4	£34.80
SE771990	CCT Receiver	4	£35.24
SE770990	RGB CCT Receiver	1	£41.64




WIRELESS PIR
MOTION SENSOR SWITCH



- Activates lights on opening of a cupboard or entry of a room
- 1m-3m activation zone
- Automatically switches off the lights after 3 minutes if no movement detected
- Includes bracket for surface mounting of the sensor
- Available as a kit including the wireless receiver and sensor, in addition to single sensors which are sold separately
- One receiver can support up to 4 sensors to ensure there are no blind spots in detection

Dimensions



Wireless PIR - Motion Sensor Switch

CODE	DESCRIPTION	FINISH	MAX. WATTAGE	No. PORTS	QTY	DRIVER	RRP
SE790980	Link-S Wireless PIR & Receiver	Silver	60W or 120W*	6	1	Required	£45.55
SE791980	Wireless PIR	Silver	60W or 120W*	-	1	Required	£21.14


* 60W with 12V input or 120W with 24V input




LINK-S
RECEIVER, MAGNET & REED SWITCH



- Control lighting wirelessly through the opening and closing of doors
- Magnet and Reed Switch suitable for mounting on any door and frame or surround
- Opening the door will send a signal to the receiver to trigger the lighting (as the magnet loses contact with the Reed Switch)
- Small size of components means that their appearance is discreet
- Control multiple lights within a kitchen or bedroom
- Range of >8m
- Battery life of >3 years
- One receiver can support up to five Magnets and Reed switches
- One Reed Switch and Magnet can support up to five receivers



Dimensions



Link-S - Receiver, Magnet and Reed Switch

CODE	DESCRIPTION	VOLTAGE	MAX. WATTAGE	No. PORTS	RRP
SE79095	Receiver, Magnet and Reed Switch	24V	72 W	6	£39.37
SE79195	Receiver	24V	72 W	-	£24.37
SE79295	Magnet and Reed Switch	3V (2x 1632 Button Batteries)	-	-	£16.87

RRP prices shown are inclusive of VAT

PRODUCT INDEX

Flexible LED Strip Lighting

PRODUCT	CODE(S)	PAGE
Dart (5m)	SE10355N0	34
Dart (5m kit)	SE10355N1	
Flux (2m)	SE10625R0	56
Flux (3m)	SE106105R0	
Flux (5m)	SE10655R0	
Flux (5m receiver kit)	SE10655R1	
Ion 8 (5m)	SE10855P0	
Ion 8 (5m smart kit)	SE10855PS1	48
Ion 8 (5m receiver kit)	SE10855P1	
Ion 5 (5m)	SE10755P0	50
Ion 5 (5m smart kit)	SE10755PS1	
Ion 5 (5m receiver kit)	SE10755P1	
Neutron (5m cool)	SE10455C0	38
Neutron (2m natural)	SE10425N0	
Neutron (5m natural)	SE10455N0	
Neutron (5m warm)	SE10455W0	
Primo 2 (5m cool)	SE10755C0	
Primo 2 (5m cool kit)	SE10755C1	36
Primo 2 (5m warm)	SE10755W0	
Primo 2 (5m warm kit)	SE10755W1	
Polar (5m cool)	SE20055C0	44
Polar (5m cool kit)	SE20055C1	
Polar (2m natural)	SE20125N0	
Polar (2m natural kit)	SE20125N1	
Polar (5m natural)	SE20055N0	
Polar (5m natural kit)	SE20055N1	
Polar (5m warm)	SE20055W0	
Polar (5m warm kit)	SE20055W1	
Polar Pro (5m)	SE20055P0	52
Radiant (5m cool)	SE10555C0	46
Radiant (5m cool kit)	SE10555C1	
Radiant (1.8m natural)	SE10795N0	
Radiant (1.95m natural)	SE10595N0	
Radiant (2.15m natural)	SE10695N0	
Radiant (3m natural)	SE105105N0	
Radiant (3m natural kit)	SE105105N1	
Radiant (5m natural)	SE10555N0	
Radiant (5m natural kit)	SE10555N1	
Radiant (5m warm)	SE10555W0	
Radiant (5m warm kit)	SE10555W1	
Radiant (Brackets pack)	SE900940	

PRODUCT	CODE(S)	PAGE
Radiant Pro (5m)	SE10555P0	54
Sigma 2 (5m cool)	SE10855C0	42
Sigma 2 (5m cool kit)	SE10855C1	
Sigma 2 (5m natural)	SE10855N0	
Sigma 2 (5m natural kit)	SE10855N1	
Sigma 2 (5m warm)	SE10855W0	
Sigma 2 (5m warm kit)	SE10855W1	
Viva 3 (1m cool)	SE10715C0	40
Viva 3 (1m cool kit)	SE10715C1	
Viva 3 (2m cool)	SE10725C0	
Viva 3 (2m cool kit)	SE10725C1	
Viva 3 (5m cool)	SE10655C0	
Viva 3 (5m cool kit)	SE10655C1	
Viva 3 (1m natural)	SE10715N0	
Viva 3 (1m natural kit)	SE10715N1	
Viva 3 (2m natural)	SE10725N0	
Viva 3 (2m natural kit)	SE10725N1	
Viva 3 (1m warm)	SE10715W0	
Viva 3 (1m warm kit)	SE10715W1	
Viva 3 (2m warm)	SE10725W0	
Viva 3 (2m warm kit)	SE10725W1	
Viva 3 (5m warm)	SE10655W0	
Viva 3 (5m warm kit)	SE10655W1	

Integrated Solutions & Profiles

PRODUCT	CODE(S)	PAGE
Accent (1500mm)	SE185700	66
Accent (2500mm)	SE185800	
Accent (Internal corner)	SE995950	
Accent (External corner)	SE994950	
Accent (Installation aid)	SE996950	
Accent (End cap kit)	SE993950	
Adapt (1500mm0	SE186790	68
Adapt (2500mm)	SE186890	
Adapt (Bracket set)	SE997950	
Adapt (Drawer brackets)	SE998950	
Adapt (End cap kit)	SE999950	
Adorn (1000mm)	SE190720	74
Beam (1000mm)	SE982120	76
Beam (2200mm)	SE982220	
Beam (End cap set)	SE983050.1	
Beam (Bracket set)	SE984050.1	
Blaze (1500mm)	SE182720	64
Blaze (2500mm)	SE182820	
Blaze (Internal corner)	SE986950	
Blaze (External corner)	SE985950	
Blaze (End cap kit)	SE984950	
Contour (1500mm)	SE98210	84
Contour (2500mm)	SE98220	
Contour (Internal corner)	SE97890	
Contour (External corner)	SE97990	
Contour (End cap kit)	SE97790	
Corner Pantry Pack	SE13195N0	90
Expanse	SE14092N0	88
	SE14092P0	88
	SE14192P0	
Expanse Pro	SE14292P0	
	SE14392P0	
	SE14492P0	78
Fino (AL 1000mm)	SE981120	
Fino (AL 2000mm)	SE981220	
Fino (AL End cap kit)	SE982050	
Fino (BL 1000mm)	SE981180	
Fino (BL 2000mm)	SE981280	
Fino (BL End cap kit)	SE982080	
Fino (Bracket set)	SE981050	

PRODUCT	CODE(S)	PAGE
Gamma (1500mm)	SE183720	62
Gamma (2500mm)	SE183820	
Gamma (Internal corner)	SE989950	
Gamma (External corner)	SE988950	
Gamma (End cap kit)	SE987950	
Gamma (Bracket set)	SE910950	
Glow (1000mm)	SE190790	70
Linia (AL 1000mm)	SE980120	80
Linia (AL 2200mm)	SE980220	
Linia (AL End cap kit)	SE980180	
Linia (BL 1000mm)	SE980280	
Linia (BL 2200mm)	SE980920	
Linia (BL End cap kit)	SE980980	82
Manta (361mm)	SE27012C0	
Manta (411mm)	SE27112C0	
Manta (761mm)	SE27412C0	
Manta (861mm)	SE27512C0	
Manta (1161mm)	SE27712C0	
Ray (1500mm)	SE184720	60
Ray (2500mm)	SE184820	
Ray (Internal corner)	SE992950	
Ray (External corner)	SE991950	
Ray (End cap kit)	SE990950	
Ray (Brackets set)	SE911950	
Vector (1500mm)	SE181700	72
Vector (2500mm)	SE181800	
Vector (Internal corner)	SE982950	
Vector (External corner)	SE981950	
Vector (Installation aid)	SE983950	
Vector (End cap kit)	SE993950	
Verona (W 263mm)	SE13792N0	86
Verona (W 363mm)	SE13092N0	
Verona (W 463mm)	SE13292N0	
Verona (W 563mm)	SE13392N0	
Verona (W 763mm)	SE13492N0	
Verona (W 863mm)	SE13592N0	
Verona (W 963mm)	SE13692N0	

PRODUCT INDEX

Under Cabinet Spot Lighting

PRODUCT	CODE(S)	PAGE
Apex TrioTone®	SE12090T0	102
Apex TrioTone® (3 kit)	SE12090T3	
Ark (Cool)	SE11092C0	104
Ark (Cool 3 kit)	SE11092C3	
Ark (Warm)	SE11092W0	
Ark (Warm 3 kit)	SE11092W3	
Ark Pro	SE11192P0	122
Ark Pro (Receiver kit)	SE11192P3	
Ark Pro (Smart kit)	SE11192PS3	
Ark TrioTone®	SE11092T0	106
Ark TrioTone® (3 kit)	SE11092T3	
Astro TrioTone® (AL)	SE11190T0.1	108
Astro TrioTone® (AL 3 kit)	SE11190T3.1	
Astro TrioTone® (BL)	SE11198T0.1	
Astro TrioTone® (BL 3 kit)	SE11198T3.1	
Astro TrioTone® (BS)	SE11196T0	
Astro TrioTone® (BS 3 kit)	SE11196T3	
Astro TrioTone® (CO)	SE11197T0	
Astro TrioTone® (CO 3 kit)	SE11197T3	
Astro Pro (AL)	SE11190P0	124
Astro Pro (BL)	SE11198P0	
Astro Pro (AL Smart kit)	SE11190PS3	
Astro Pro (BL Smart kit)	SE11198PS3	
Bermuda (Cool)	SE90010C0	110
Bermuda (Cool 3 kit)	SE90010C3	
Bermuda (Warm)	SE90010W0	
Bermuda (Warm 3 kit)	SE90010W3	
Bermuda TrioTone®	SE21000	112
Bermuda TrioTone® (kit)	SE21000K3	
Hype R Pro	SE90150P0	128
Hype R Pro (Black bezel)	SE970980	
Hype TrioTone®	SE21100	116
Hype TrioTone® (3 kit)	SE21100K3	

PRODUCT	CODE(S)	PAGE
Horizon Pro	SE11095P0	126
Horizon Pro (smart 3 kit)	SE11095PSK3	
Horizon TrioTone®	SE11095T0	114
Horizon TrioTone® (3 kit)	SE11095T3	
Neo Pro	SE11590P0	130
Neo Pro (Receiver kit)	SE11590P3	
Neo Pro (Smart kit)	SE11590PS3	
NP/NT Black Bezel	SE91598N0	
Neo TrioTone®	SE11590T0	118
Neo TrioTone® (3 kit)	SE11590T3	
NP/NT Black Bezel	SE91598N0	
Nexus (Cool)	SE11090C0	120
Nexus (Cool 3 kit)	SE11090C3	
Nexus (Warm)	SE11090W0	
Nexus (Warm 3 kit)	SE11090W3	
Nexus TrioTone®	SE11090T0	121
Nexus TrioTone® (3 kit)	SE11090T3	
Plaza	SE11090N0	94
Plaza (3 kit)	SE11090N3	
Solo	SE11192N0	95
	SE11192N3	
Treos	SE11290N0	96
Treos (3 kit)	SE11290N3	
Velos	SE11092N0	98
Velos (3 kit)	SE11092N3	
Zeta	SE11190N0	100
Zeta (3 kit)	SE11190N3	

Under Cabinet Strip Lighting

PRODUCT	CODE(S)	PAGE
Axis (222mm)	SE10019N0	134
Axis (343mm)	SE10029N0	
Axis (524mm)	SE10079N0	
Axis (904mm)	SE10099N0	
Connex (222mm)	SE100190	135
Connex (343mm)	SE100290	
Connex (524mm)	SE100790	
Connex (904mm)	SE100990	
Connex TrioTone® (343mm)	SE100490	136
Connex TrioTone® (524mm)	SE100590	
Connex TrioTone® (623mm)	SE100690	
Connex TrioTone® (904mm)	SE100890	

Shelf Lighting

PRODUCT	CODE(S)	PAGE
Genoa	SE18592C0	141
Torino (SL 600mm)	SE17232C0	140
Torino (SL 900mm)	SE17262C0	
Torino (BL 600mm)	SE17238C0	
Torino (BL 600mm)	SE17268C0	
Glow (500mm cool)	SE19089C0	142
Glow (600mm cool)	SE19039C0	
Glow (1000mm cool)	SE19079C0	
Glow (500mm natural)	SE19089N0	
Glow (1000mm natural)	SE19079N0	
Glow Pro (500mm CCT)	SE19079P02	
Glow Pro (1000mm CCT)	SE19079P01	

Drawer Lighting

PRODUCT	CODE(S)	PAGE
Dura Plus	SE16097C0	146
Verso (562mm)	SE7305HCNW.24	147
Verso (862mm)	SE7315HCNW.24	
Verso (962mm)	SE7320HCNW.24	

Plinth Lighting

PRODUCT	CODE(S)	PAGE
Halo TrioTone®	SE150000	152
Halo TrioTone® (4 kit)	SE150004	
Iris	SE15990N0	150
Iris (4 kit)	SE15990N4	
Luce TrioTone®	SE15090T0	151
Luce TrioTone® (4 kit)	SE15090T4	
Stellar Pro	SE15190P0	153
Stellar Pro (4 kit)	SE15190PS4	
Stellar Pro (10 kit)	SE15190PS10	

Ceiling Lighting

PRODUCT	CODE(S)	PAGE
Bellatrix	SE32001W0	156
Solinas (cool)	SE82098C0	158
Solinas (warm)	SE82098W0	
TrioTone® IP65	SE62095T0	162
Fire Rated Downlight		
TrioTone® Circa (clear)	SE62094T0	164
TrioTone® Circa (tint)	SE62294T0	
TrioTone® Cube (clear)	SE62194T0	
TrioTone® Cube (tint)	SE62394T0	
Zirconia	SE32101W0	160

SensioPod Pop-Up Sockets

PRODUCT	CODE(S)	PAGE
SensioPod E (SS)	SE891900	
SensioPod E (AL)	SE894920	168
SensioPod E (BL)	SE894930	
SensioPod M	SE892920	169
SensioPod M Bluetooth	SE893920	170

Rechargeable & Wardrobe Lighting

PRODUCT	CODE(S)	PAGE
Alto (562mm)	SE53002C0	174
Alto (962mm)	SE53202C0	
Adapter (USB–pin)	03.2005.0800	
Incline (350mm)	SE20242C0	175
Incline (550mm)	SE20252C0	
Incline (850mm)	SE20272C0	
Adapter (USB–Micro USB)	SE2007000	
Magnum (chrome)	SE3391N0	176
Magnum (s. steel)	SE3300N0	

Lighting Control

PRODUCT	CODE(S)	PAGE
Kinetic Switch (1 gang)	SE781990	187
Kinetic Switch (2 gang)	SE782990	
Kinetic Switch (3 gang)	SE783990	
Link-S (Receiver, Magnet & Reed Switch)	SE79095	191
Receiver (Dimming)	SE772990	189
Receiver (CCT)	SE771990	
Receiver (RGB/CCT)	SE770990	
Titan 6W	SE490950	182
Titan 15W	SE491950	
Titan 30W	SE492950	
Titan+ 6W	SE495950	182
Titan+ 15W	SE496950	
Titan+ 30W	SE497950	
Titan+ Door Sensor	SE493250	183
Titan+ IR Sensor	SE490250	
Titan+ PIR Sensor	SE491250	
Titan+ Push Switch	SE492250	
Titan+ Sensor Adapter	SE797990	183
Titan+ Double Door Sensor Adapter	SE797991	
Titan Dimmable 30W	SE40899	184
Titan Dimmable 60W	SE40699	
Kinetic		
Titan Smart 15W (SC)	SE406581	186
Titan Smart 30W (SC)	SE406591	
Titan Smart 15W (CCT)	SE406582	
Titan Smart 30W (CCT)	SE406592	
Titan Smart RGB CCT	SE405595	185
Universal Remote Control	SE770390	188
Wireless PIR & Receiver	SE790980	190
Wireless PIR Sensor	SE791980	

FAQ

Do you have a question about our products or services? Answers to some common questions can be found below. If you have a question that is not answered here, please visit our website or call us for further information.

DO YOU OFFER A PRODUCT GUARANTEE?

We offer a 5-year guarantee across all kitchen and bedroom products. For full terms and conditions, please visit sensio.co.uk/guarantee.html

HOW DO I SET UP A TRADE ACCOUNT?

If you operate a business and would like further details on how to apply for a trade account, please email info@sensiolighting.com or call 01977 522 020. On successful completion of an account application, you will be able to purchase directly via the website or via (orders@sensiolighting.com). Qualification criteria must be met to be accepted for a direct account, details of which are specified under our terms and conditions which can be found on our website or by contacting our Customer Experience Team.

I'M A CONSUMER BUYING FOR MY OWN USE - WHERE CAN I BUY SENSIO PRODUCTS?

You'll find Sensio products stocked nationally through a large number of both online and high street retailers, and kitchen and bedroom showrooms.

DO YOU OFFER FREE OF CHARGE DELIVERY?

We offer free delivery, usually within 2 days (Monday to Friday) to UK Mainland destinations for all orders over £250 (excluding VAT) placed before 2pm. We have a minimum order value per order of £150.00 (excluding VAT). A charge of £9.95 for carriage and handling will be added to all orders between £150 and £250 (excluding VAT) for deliveries within the UK mainland only. Channel Islands, Isle of Man, Scottish Highlands and Eire will incur a separate delivery charge, determined by the destination and weight of the total order. Please contact our team for further information.

WHERE CAN I FIND FURTHER TECHNICAL DETAILS AND INSTALLATION INFORMATION?

Head to the product pages of sensio.co.uk. At the bottom of each product page you will find technical specifications and installation guides.

GET IN TOUCH

We hope you enjoy this Sensio brochure and are inspired to discover how lighting can transform the home. When you have finished with it, please pass it on or recycle it.

Please note that the colours in this brochure are as accurate as the printing process will allow, and we recommend that you view a product prior to purchase.

All prices are inclusive of 20% VAT and are Sensio's recommended retail prices. Prices and technical information are correct at the time of print (October 2022) and are subject to change throughout the course of the year without prior notification. Errors and omissions excepted.

For more information on our terms and conditions, please visit sensio.co.uk/sensio-terms-and-conditions.html

GET THE LATEST IN LIGHTING

Keep up to date with product news and information from us at Sensio.



/sensio-ltd



@Sensio_Ltd



@sensio_ltd



/sensiolighting



/sensio-ltd



@sensio_ltd



@Sensio_Ltd



/sensiolighting

Unit 7 Speedwell Road
Whitwood
Castleford
West Yorkshire
WF10 5PY
United Kingdom

Tel: +44 (0)1977 522 020
Email: info@sensiolighting.com
Web: sensio.co.uk

Sensio Kitchen Lighting 2023 V1.0



sensio[®]
furniture lighting solutions